

www.filtersmfg.com

**WENZHOU TAMFINEY
FILTRATION SYSTEM CO.,LTD.
温州泰姆勒过滤系统有限公司**

No.25 Outai Road,Zhuxi Industrial
Zone,Xiyan Street,Ouhai District,
Wenzhou,P.R.CHINA
温州市瓯海区仙岩街道
竹溪工业区瓯泰路25号

Tel:+86-577-8530 8132

Fax:+86-577-8530 5356

E-mail:sales@filtersmfg.com

www.filtersmfg.com





TAMFINEY FILTRATION SYSTEM

泰姆勒过滤系统

www.filtersmfg.com

**CLEAN
EFFICIENT
ENVIRONMENTAL
OUR COMMITMENT TO YOU !**

洁净、高效、环保、我们对您的承诺！



CHINESE PROFESSIONAL HYDRAULIC FILTER MANUFACTURER

中国专业液压滤制造商

经过多年的市场验证，泰姆勒和国外多家知名滤材制造商合作，
现已有高端HV玻璃纤维，优质玻璃纤维，液压滤纸，铜网，席型网，不锈钢网，
可以根据客户不同的材质需求，迎合不同的市场需要。

Through years' marketing proving, Tamfiney cooperated with some famous filter
material manufacturers abroad. We have already HV high-standard Microglass,
good quality glass fiber, hydraulic filter paper, Cu net,
Mat shape net and stainless steel net. We can produce with customer's
different material requirement to match the marketing demanding.

www.filtersmfg.com



TAMFINEY FILTRATION SYSTEM

泰姆勒过滤系统

PROFILE

简介

Wenzhou Tamfiney Filtration System Co.,Ltd. is special manufacturer of all kinds of filters,such as hydraulic filters,oil filters,fuel filters, air filters, water separators and assemblies. We are an economic entity integrating researching, development and manufacturing with strong technical force, sophisticated testing equipemnt and dependable product quality. The company has the most complete rages of filters in nationwide, producing more than 2000 kinds of filters and assemblies. Our filters are widely used in such fields as engineering machine, electrical generating sets, air compressor , Tracor, Forklift, Wheel Loader, Excavator, Crane, shipping, Agricultural Machine and so on.We also can make customized products like non-conventional type filters according to your specified needs.

Since the establishment, Tamfiney Filter abide by the principle " high starting-point, high quality and high specialization" . Emphasizing much on scientific inovation and new product development to meet the requirment of market. Introducing advanced production technology and equipment at home and abroad actiatly; Especially for the hydraulic filter, we have a complete set of pipelining equipment. Admitting experience high technology talents. Adoping new development ideas; Introducing ERP information system; Using intelligent machinery line production.Continuously improving the production management modernization has tamfiney characteristic.

Tamfiney Filter has passed ISO9001:2000 international quality management system authentication, which ensures perfect quality guarantee system.With the advanced level and good reputation from OE manufacturers and customers, Our filters are sold well in domestic and international market. All the paper that we using is Hangzhou paper, Ahlstrom paper and HV paper. All the paper is tested by air permeability, Burst Strength and Stiffness.

温州泰姆勒过滤系统有限公司是国内专业生产各种滤清器、过滤器、油水分离器及各种总成的生产厂家,是一家集研制、开发、生产于一体的经济实体,技术力量雄厚,检测设备先进,产品质量可靠。公司共生产2000多种滤清器和过滤器,是目前国内生产同类产品种类齐全的滤清器的厂家,产品广泛应用于国内外各种工程机械、发电机组、空压机、船舶等行业,我司还可以根据客户需求定做各种异型滤清器和过滤器。

泰姆勒自创建以来,坚持以高起点、高质量、高专业化为原则;根据市场需求,非常重视科技创业和新产品的开发;积极引进国内外先进生产技术和设备,广纳各种有经验的高技术人才,消化吸收产品开发技术的新思维;引进ERP信息化系统,智能化机械流水作业,不断完善具有泰姆勒特色的现代化生产管理模式。

公司已通过国际质量管理体系认证ISO9001:2000。产品性能达到了国内同类产品先进水平,产品质量得到了国内外顾客的一致好评和肯定。



TAMFINEY FILTRATION SYSTEM

泰姆勒过滤系统

www.filtersmfg.com



PRODUCTION

生产

In strict accordance with ISO/TS16949 International Quality Management System.
Setting up filters quality standard handbook, and group producing responsibility system.

严格按照ISO/TS16949国际质量管理体系执行，建立产品质量标准手册，小组生产责任制。





SERVICE

服务

Making the customer profit is our ultimate goal!

让客户盈利才是我们的最终目的!

Details are perfect and the quality is reliable.

细节完美，质量恒定!

TAMFINEY FILTRATION SYSTEM

泰姆勒过滤系统

www.filtersmfg.com



TAMFINEY FILTRATION SYSTEM

泰姆勒过滤系统



CONTENTS

HYDRAULIC FILTER

TMY-HS TMY-HC

001

FUEL FILTER

TMY-FS TMY-FC TMY-FWS

021

OIL FILTER

TMY-LS TMY-LC TMY-W

046

AIR FILTER

TMY-AS TMY-A TMY-C

060

FILTER ASSEMBLY

TMY-FA

073

FILTER BASE

TMY-S

085

BOWL

TMY-B

091

►HYDRAULIC FILTER

Heavy truck, off-highway, agricultural and construction vehicles and equipment depend on hydraulic fluids to power many of their critical functions. To operate at peak efficiency, fluid contaminants must be kept to an absolute minimum-no small challenge given the rugged environments these vehicles and equipment work in every day.

It is requested to replace every 1000-2000 hours.





TMY-HC-1112

Atlas : 8231101804
Fleetguard : HF35252
Donaldson : P175120
ODXH : Φ 117*163
ID : Φ 59
Application : ATLAS COPCO



TMY-HC-0501

CAT : 9M-2341 5M-7663
5M-7650
Fleetguard : FF234
Donaldson : P552341
ODXH : Φ 56*76
ID : Φ 11
Application : CAT



TMY-HC-0902

DOOSAN : 2474-1003A
Fleetguard : HF7922
Donaldson : P550578
ODXH : Φ 90*275
ID : Φ 48
Application : DOOSAN



TMY-HC-1102

DOOSAN : 2474-9003B
2474-9008
Hitachi : 4227353 4508505
4508060
Fleetguard : HF7921
Donaldson : P173207
ODXH : Φ 112*439
ID : Φ 70
Application : Doosan,Hitachi



TMY-HC-0502

CAT : 9M-2342
Fleetguard : FF5527
ODXH : Φ 56*153
ID : Φ 11
Application : CAT



TMY-HC-1101

CAT: 075-511306
ODXH : Φ 113*434
ID : Φ 70
Application : CAT



TMY-HC-2001

DOOSAN : 2471-9401A
2481U9032
Hitachi : 4237660
ODXH : Φ 200*196
ID : Φ 115/M10*1.5
Application : DOOSAN,Hitachi



TMY-HC-1503

DOOSAN : 2474-9016A
HYUNDAI : 31E3-4529
ODXH : Φ 150*140
ID : Φ 76*M12X1.5
Application : Doosan,Hyundai



TMY-HC-1401

CAT : 179-9806 126-2081
Fleetguard : HF35195
Donaldson : P550577
ODXH : Φ 142*413
ID : Φ 98
Application : CAT



TMY-HC-1501

CAT: 7Y-4748 E85700711
ODXH : Φ 150*130
ID : Φ 72*M10x1.5
Application : CAT



TMY-HC-1504

HITACHI : 4180416 4206705
Komatsu : 07063-01210
205-60-51430
Volvo: 1141-00040
VOE14509379
JCB : 335/G0531
CASE : KRJ3836
Doosan : 2474-9404A
Fleetguard : HF7953
Donaldson : P551210
ODXH : Φ 150*450
ID : Φ 110
Application : DOOSAN,
KOMATSU,JCB



TMY-HC-0903

Hitachi : 4225846
Fleetguard : HF35466
Donaldson : P502245
ODXH : Φ 90*343
ID : Φ 46
Application : HITACHI



TMY-HC-1304

CAT : 1R-0741
Fleetguard : HF6098
Donaldson : P556094
ODXH : Φ 130*228
ID : Φ 85
Application : CAT



TMY-HC-0503

CAT : 99-7352 96-6431
E85700111
Fleetguard : HF35456
Donaldson : P551347
ODXH : Φ 51*75
ID : Φ 31*21
Application : CAT,Case,
Yanmar



TMY-HC-1301

Hitachi : 4331922
ODXH : Φ 132/65*138
Thread : 1.1/4"-11
Application : HITACHI



TMY-HC-1505

HITACHI : 4125320 4190987
Fleetguard : HF28931
Donaldson : P502243
ODXH : Φ 150*89
ID : Φ 73*M10x1.5
Application : HITACHI



TMY-HC-0801

DEUTZ : 01172715
WEICHAI : 1340130 P990
ODXH : Φ 84*120
ID : Φ 13.5
Application : DEUTZ



TMY-HC-0901

DOOSAN : 2343-6005
2474Y-9029
2471-9045
ODXH : Φ 90*140
ID : Φ 49*M12x1.5
Application : DOOSAN



TMY-HC-1506

Hitachi : 4656605 4656608
4656602
Fleetguard : HF7679
Donaldson : P502441
ODXH : Φ 155/150*440
ID : Φ 98/94.5
Application : HITACHI



TMY-HC-0401

HITACHI : 4157882 4294135
76596097
Hyundai : 31E3-0018
Fleetguard : HF7956 HF28836
HF28830
Donaldson : P502215 P551054
P550576
ODXH : Φ 42*87
ID : Φ 23
Application : HITACHI,Doosan,
Hyundai,JCB,Case




TMY-HC-0401P

HITACHI : 4157882 4294135
76596097
Hyundai : 31E3-0018
Fleetguard : HF7956 HF28836
HF28830
Donaldson : P502215 P551054
P550576
ODXH : $\Phi 42 \times 84$
ID : $\Phi 21$
Application : HITACHI, Doosan,
Hyundai, JCB, Case



TMY-HC-1201

Hitachi : 4285577
Fleetguard : HF35466
Donaldson : P550445
ODXH : $\Phi 125 \times 130$
ID : $\Phi 76 \times M10 \times 1.5$
Application : HITACHI,
John deere



TMY-HC-1901

HYUNDAI : E131-0214
31E9-0595
ODXH : $\Phi 198 \times 192$
ID : $\Phi 95 \times M12 \times 1.75$
Application : HYUNDAI



TMY-HC-1511

SUMITOMO : KRJ10590
KTJ1081
JCB : 32/925670
ODXH : $\Phi 150 \times 193$
ID : $\Phi 90 \times M10 \times 1.5$
Application : JCB, SUMITOMO



TMY-HC-0504

HITACHI: 4207841 4370435
KATO: 689-33601001
Fleetguard: HF7954
Donaldson: P173238
ODXH : $\Phi 51 \times 152$
ID : $\Phi 25$
Application : HITACHI, KATO



TMY-HC-1507

HITACHI : 4210224
KOMATSU : 203-60-31150
203-60-56250
Fleetguard : HF28925
Donaldson : P764679
ODXH : $\Phi 150 \times 132$
ID : $\Phi 87 \times M10 \times 1.5$
Application : HITACHI,
KOMATSU



TMY-HC-1104

SUMITOMO : 689-37310024
689-35700021
689-37310012
Donaldson : P502184
ODXH : $\Phi 113 \times 275$
ID : $\Phi 72$
Application : KATO, SUMITOMO



TMY-HC-0101

KOBELCO : YN50V00022F4
ODXH : $\Phi 14 \times 74$
ID : $\Phi 7$
Application : KOBELCO



TMY-HC-1103

Hitachi : 4448401 4443596
Fleetguard : HF35511
Donaldson : P502269
ODXH : $\Phi 113 \times 477$
ID : $\Phi 58/40$
Application : HITACHI, SANY



TMY-HC-1508

Hitachi : 4443773 4448402
Fleetguard: HF7691
Donaldson: P502270
ODXH : $\Phi 156 \times 464$
ID : $\Phi 98$
Application : HITACHI, SANY



TMY-HC-0101-1

KOBELCO : YN50V00022F4
ODXH : $\Phi 14 \times 55$
ID : $\Phi 7$
Application : KOBELCO



TMY-HC-0802

KOBELCO : YR52V01004R300
ODXH : $\Phi 83 \times 221$
ID : $\Phi 42$
Application : KOBELCO



TMY-HC-0505

HYUNDAI : 31Q6-20320
31Q6-20340
Fleetguard : HF35555
ODXH : $\Phi 54 \times 110$
Thread ID : $\Phi 26$
Application : HYUNDAI



TMY-HC-1502

HYUNDAI: 31Q6-01280
ODXH : $\Phi 150 \times 445$
Thread ID : $\Phi 84$
Application : HYUNDAI



TMY-HC-1402

KOBELCO : YN52V01016R600
ODXH : $\Phi 142.5 \times 431$
Thread : 4 7/16" X 11G
Application : KOBELCO



TMY-HC-1403

KOBELCO : YN52V01025R100
ODXH : $\Phi 148 \times 260$
ID : $\Phi 92$
Application : KOBELCO



TMY-HC-1509

HYUNDAI : E131-0212
31E3-0212
FLEETGUARD : HF35363,
HF35520
DONALDSON : R010109
ODXH : $\Phi 150 \times 460$
ID : $\Phi 84$
Application : HYUNDAI



TMY-HC-1510

HYUNDAI : 31E3-4527
ODXH : $\Phi 150 \times 295$
ID : $\Phi 85$
Application : HYUNDAI



TMY-HC-1408

KOBELCO : LC52V01004R100
ODXH : $\Phi 148 \times 382$
ID : $\Phi 92$
Application : KOBELCO



TMY-HC-1404

KOBELCO : YN52V01016R610
Fleetguard : HF7691
Donaldson : P502561
ODXH : $\Phi 142.5 \times 431$
Thread : 4 7/16" X 11G
Application : KOBELCO



TMY-HC-0402

KOBELCO : YN50V01001S005
HITACHI : 4294130
ODXH : $\Phi 40 \times 45$
ID : $\Phi 22$
Application : KOBELCO,
HITACHI



TMY-HC-0201

KOBELCO : YN50V00020F1
ODXH : $\Phi 28 \times 100$
Application : KOBELCO,
NEW HOLLAND



TMY-HC-0906

KOMATSU : 3EB-66-11711
3EB-66-43630
ODXH : $\Phi 90 \times 167$
Thread : 3/4 NPT
Application : KOMATSU



TMY-HC-1001

KOMATSU : 07063-01054
154-60-12170
Fleetguard : HF6354
Donaldson : P551054
ODXH : $\Phi 100 \times 210$
ID : $\Phi 60$
Application : KOMATSU



TMY-HC-0403

KOMATSU : 125-15-11722
124-15-51740
ODXH : $\Phi 47 \times 149$
ID : $\Phi 25$
Application : KOMATSU



TMY-HC-0601

KOMATSU : 144-49-13852
ODXH : $\Phi 60 \times 162$
ID : $\Phi 27$
Application : KOMATSU



TMY-HC-1002

KOMATSU : 281-16-11290
175-49-11580
Fleetguard : HF6072, LF736,
HF6084, LF730
Donaldson : P551158, P551290,
P779555
ODXH : $\Phi 100 \times 226$
ID : $\Phi 44$
Application : KOMATSU



TMY-HC-1003

KOMATSU : 201-60-22150
ODXH : $\Phi 109 \times 178$
ID : $\Phi 62 \times M15 \times 1.5$
Application : KOMATSU



TMY-HC-0602

KOMATSU : 16Y-15-07000
ODXH : $\Phi 60.5 \times 194$
Application : KOMATSU



TMY-HC-0603

KOMATSU : 130-60-48210
Fleetguard : HF6196
Donaldson : P550082
ODXH : $\Phi 64 \times 278$
ID : $\Phi 27$
Application : KOMATSU



TMY-HC-1004

KOMATSU : 207-970-5121
ODXH : $\Phi 100 \times 200$
ID : $\Phi 49$
Application : KOMATSU



TMY-HC-1005

KOMATSU : 424-16-11140
385-101-00021
Fleetguard : HF35255
Donaldson : P550084
ODXH : $\Phi 108 \times 228$
ID : $\Phi 45$
Application : KOMATSU



TMY-HC-0701

KOMATSU : 14X-10-11712
ODXH : $\Phi 77.5 \times 240$
ID : $\Phi 35$
Application : KOMATSU



TMY-HC-0803

KOMATSU : 22L-60-22120
ODXH : $\Phi 84 \times 131$
ID : $\Phi 42$
Application : KOMATSU



TMY-HC-1006

KOMATSU : 165-69-32630
CAT : 1R-0719 4T-3131
Fleetguard : HF6097
Donaldson : P559740
ODXH : $\Phi 102 \times 232$
TID : $\Phi 60.5$
Application : KOMATSU



TMY-HC-1105

KOMATSU : 201-60-65210
ODXH : $\Phi 113 \times 180$
ID : $\Phi 60 \times M10 \times 1.5$
Application : KOMATSU



TMY-HC-0904

KOMATSU : 14X-49-12310
ODXH : $\Phi 90 \times 298$
Application : KOMATSU



TMY-HC-0905

KOMATSU : 203-60-21141
ODXH : $\Phi 95 \times 158$
ID : $\Phi 50 \times M10 \times 1.5$
Application : KOMATSU



TMY-HC-1106

KOMATSU : 423-60-45461
14X-60-31150
Fleetguard : HF35482
ODXH : $\Phi 110 \times 200$
ID : $\Phi 60$
Application : KOMATSU



TMY-HC-1202

KOMATSU : 14X-60-11120
ODXH : $\Phi 120 \times 151$
ID : $\Phi 50$
Application : KOMATSU



TMY-HC-1203

KOMATSU : 20Y-60-31171
22B-60-11160
ODXH : Φ 125*130
ID : Φ 100*M10X1.5
Application : KOMATSU



TMY-HC-1302

KOMATSU : 206-60-41221
ODXH : Φ 130*130
ID : Φ 68
Application : KOMATSU



TMY-HC-1008

KOMATSU : 144-60-11160
16Y-60-13000
Fleetguard : HF6213
Donaldson : P551160
ODXH : Φ 100*281
ID : Φ 59
Application : KOMATSU



TMY-HC-0507

Komatsu : 154-04-12531
175-04-00210
154-04-12521
ODXH : Φ 50*143
Thread :
Application : KOMATSU



TMY-HC-1303

KOMATSU : 20Y-60-31140
ODXH : Φ 130*130
ID : Φ 69
Application : KOMATSU



TMY-HC-1405

KOMATSU : 207-60-61250
ODXH : Φ 30*140
ID : Φ 23
Application : KOMATSU



TMY-HC-0302

Komatsu : 22U-04-21260
JCB : 02/802946
ODXH : Φ 35*70
ID : Φ 12.5
Application : KOMATSU



TMY-HC-0202

Komatsu : 704-28-02751
ODXH : Φ 24*80
ID : Φ 10
Application : KOMATSU



TMY-HC-1512

KOMATSU : 209-60-77532
Fleetguard : HF35504
Donaldson : P502541
ODXH : Φ 150*400
ID : Φ 92
Application : KOMATSU



TMY-HC-1519

KOMASTU : 07063-01142
195-60-16320
Fleetguard : HF6356
Donaldson : P551142
ODXH : Φ 150*300
ID : Φ 110
Application : KOMATSU



TMY-HC-0605

Komatsu : 21N-62-31221
ODXH : Φ 60*200
ID : Φ 40
Application : KOMATSU



TMY-HC-0405

Komatsu : 07063-21200
ODXH : Φ 44*162
ID : Φ 30
Application : KOMATSU



TMY-HC-1520

KOMATSU:205-60-51450
ODXH : Φ 150*190
ID : Φ 72*M10X1.5
Application : KOMATSU



TMY-HC-1521

KOMATSU : 207-60-71181
207-60-71161
20Y-60-31121
FLEETGUARD : HF35360
DONALDSON : P550787
ODXH : Φ 150*200
ID : Φ 92
Application : KOMATSU



TMY-HC-0406

Komatsu : 3EA-15-11600
3EB-15-51600
3EA-15-11610
ODXH : Φ 43*166
ID : Φ 26
Application : KOMATSU



TMY-HC-0401CU

KOMATSU : 205-60-51270
ODXH : Φ 42*84
ID : Φ 21
Application : KOMATSU



TMY-HC-1701

KOMATSU : 208-60-71122
208-60-71123
FLEETGUARD : HF35374
DONALDSON : P502443
ODXH : Φ 175*200
ID : Φ 110
Application : KOMATSU



TMY-HC-1902

KOMATSU : 207-60-11130
ODXH : Φ 150*193
ID : Φ 100
Application : KOMATSU



TMY-HC-1513

Komatsu : 21K-60-11190
CAT : 209-6000
SUMMITO : KSJ2675
ODXH : Φ 150*130
ID : Φ 114*M10 x 1.5
Application : KOMATSU,
Caterpillar



TMY-HC-1007

KOMATSU : 21E-60-11130
CNH : 848101115
ODXH : Φ 100*165
Thread:1.1/4"-11
Application : KOMATSU,CNH,
KUBOTA 35



TMY-HC-1107
 KOMATSU : 198-49-11440
 JCB : 335/G2059, 32/925214
 FLEETGUARD : HF35005
 DONALDSON : P550083
 ODXH : $\Phi 112 \times 292$
 ID : $\Phi 70$
 Application : KOMATSU,
 CNH,JCB,
 KOBELCO YANMAR



TMY-HC-1108
 KOMATSU : 21W-60-41121
 Fleetguard : HF35512
 ODXH : $\Phi 110 \times 100$
 ID : $\Phi 61$
 Application : KOMATSU,
 HITACHI



TMY-HC-12
 MF-12
 MOTO : JL-12
 ODXH : $\Phi 82 \times 196$
 Thread : 1 1/2"
 Application : LIMING MF SERY



TMY-HC-16
 MF-16
 MOTO : JL-16
 ODXH : $\Phi 103 \times 197$
 Thread : 2"
 Application : LIMING MF SERY



TMY-HC-1109
 KOMATSU : 20Y-970-1820
 07063-11046
 KOBELCO : 2446U233-S2
 ODXH : $\Phi 113 \times 446$
 ID : $\Phi 72$
 Application : KOMATSU,
 KOBELCO



TMY-HC-0702
 KOMATSU : 121-10-13310
 ODXH : $\Phi 75 \times 102$
 ID : $\Phi 32$
 Application : KOMATSU,
 LIUGONG



TMY-HC-20
 MF-20
 MOTO : JL-20
 ODXH : $\Phi 115 \times 235$
 Thread : 2 1/2"
 Application : LIMING MF SERY



TMY-HC-24
 MF-24
 MOTO : JL-24
 ODXH : $\Phi 135 \times 235$
 Thread : 3"
 Application : LIMING MF SERY



TMY-HC-1514
 SUMITOMO : 689-13101000
 KOMATSU : 207-60-51200
 ODXH : $\Phi 150 \times 193$
 ID : $\Phi 100 \times M10 \times 1.5$
 Application : KOMATSU,
 SUMITOMO



TMY-HC-03
 MF-03
 ODXH : $\Phi 55 \times 90$
 Thread : 3/8"
 Application : LIMING MF SERY



TMY-HC-32
 MF-32
 MOTO : JL-32
 ODXH : $\Phi 158 \times 270$
 Thread : 4"
 Application : LIMING MF SERY



TMY-HC-0804
 LIUGONG : 53C0156
 ODXH : $\Phi 88 \times 295$
 ID : $\Phi 60 \times M10 \times 1.5$
 Application : LIUGONG



TMY-HC-04
 MF-04
 MOTO : JL-04
 ODXH : $\Phi 66 \times 90$
 Thread : 1/2"
 Application : LIMING MF SERY



TMY-HC-06
 MF-06
 MOTO : JL-06
 ODXH : $\Phi 66 \times 132$
 Thread : 3/4"
 Application : LIMING MF SERY



TMY-HC-1204
 LIUGONG : 53C0006
 YLX53J
 ODXH : $\Phi 120 \times 540$
 ID : $\Phi 80$
 Application : LIUGONG



TMY-HC-1406
 LIUGONG : 53C0055
 ODXH : $\Phi 143 \times 330$
 ID : $\Phi 97$
 Application : LIUGONG



TMY-HC-08
 MF-08
 MOTO : JL-08
 ODXH : $\Phi 66 \times 152$
 Thread : 1"
 Application : LIMING MF SERY



TMY-HC-10
 MF-10
 MOTO : JL-10
 ODXH : $\Phi 66 \times 176$
 Thread : 1 1/4"
 Application : LIMING MF SERY



TMY-HC-1515
 LIUGONG : 53C0002
 ODXH : $\Phi 150 \times 295$
 ID : $\Phi 90 \times M10 \times 1.5$
 Application : LIUGONG



TMY-HC-1205
 LIUGONG : YLX50H
 SHANGONG : W110005640
 ODXH : $\Phi 120 \times 555$
 ID : $\Phi 80$
 Application : LIUGONG,
 SHANGONG



TMY-HC-1206

SANY : 60082694
B222100000457
ODXH : Φ 120*218
ID : Φ 60*M12x1.5
Application : SANY



TMY-HC-1801

SANY : YLXB-13D
ODXH : Φ 180*305
ID : Φ 85*M10x1.5
Application : SANY



TMY-HC-1805

SUMITOMO : KBJ0532
KOMATSU : 208-60-61150
07063-01383
HITACHI : 4333469 4287634
ODXH : Φ 180*450
ID : Φ 110
Application : SUMITOMO,
KOMATSU,
VOLVO,HITACHI



TMY-HC-0907

VOLVO : 76593546
YANMAR : 17211274801
ODXH : Φ 90*125
ID : Φ 65*M10X1.5
Application : VOLVO



TMY-HC-1802

SANY : 860121090
XVGONG : YLXB-13C
LIMING : TL235RC/100
ODXH : Φ 180*190
ID : Φ 85*M10x1.5
Application : Sany,XVGONG



TMY-HC-1110

SANY : B222100000459
60082693
ODXH : Φ 115*483
ID : Φ 40
Application : SANYI



TMY-HC-2002

HITACHI : 4333464
VOLVO : 14530989
ODXH : Φ 200*135
ID : Φ 115*M10X1.5
Application : VOLVO,
HITACHI ZAX



TMY-HC-0604

VOLVO : 14375005
JCB : 32/925346 32/910100
32/913500
FLEETGUARD : HF28948
DONALDSON : P564859
ODXH : Φ 60*225
ID : Φ 35
Application : VOLVO,JCB



TMY-HC-1516

SUMITOMO : 3501403
KATO : KNJ-1847
SANY : B222100000235
EF-080-100
KOMATSU : 20Y-60-22550
20Y-60-21311
207-60-21311
ODXH : Φ 150*95
ID : Φ 95*M10X1.5
Application : SUMITOMO



TMY-HC-1517

SUMITOMO : KHW4866
ODXH : Φ 151*89
ID : Φ 75*M10x1.5
Application : SUMITOMO



TMY-HC-1207

VOLVO : 6635975 11119884
LONGGONG : TXX8A10
Fleetguard : HF6182 HF28803
HF28804
ODXH : Φ 126*290
ID : Φ 92
Application : VOLVO,
LONGGONG



TMY-HC-1111

VOLVO : 1040-20410
ODXH : Φ 113*220
ID : Φ 72
Application : VOLVO,SUMITOMO



TMY-HC-0807

SUMITOMO : KAJ-0030
ODXH : Φ 83*275
ID : Φ 60
Application : SUMITOMO



TMY-HC-1804

SUMITOMO : KSJ1929
ODXH : Φ 180*330
ID : Φ 115
Application : SUMITOMO



TMY-HC-1407

XCMG : 803164329
170901517
ODXH : Φ 147*339
ID : Φ 110
Application : XCMG



TMY-HC-0806

XVGONG : YL-98 65b0015
FOTON : 4110000507007
4110000357012
ODXH : Φ 80*130
ID : Φ 45
Application : LXUGONG,FOTON



TMY-HC-0506

KOMATSU : 16Y-75-13100
195-13-13420
Sakura : H56570
ODXH : Φ 59*90
ID : Φ 40/7
Application : SUMITOMO




TMY-HC-1803

JCB : 581/18066
SUMITOMO : KTJ1429
DONALDSON : P502523
ODXH : Φ 180*410
ID : Φ 115
Application : SUMITOMO,JCB



TMY-HC-0301

Komatsu : 171081-55910
JCB : 02/971882
ODXH : Φ 35*51
ID : Φ 12.5
Application : YANMAR



TMY-HC-1518

YUCHAI : 860A-0513301
YLX-055
ODXH : Φ 150*90
ID : Φ 90*M10x1.5
Application : Yuchai



TMY-HC-0404
DOOSAN DH300
ODXH : Φ42*134
ID : Φ22
Application :



TMY-HC-0805
Liugong : 111-15-08000
113-15-21730
ODXH : Φ85*244
ID : Φ45
Application : Liugong Shantui



TMY-HC-0808
TMC : 214A7-52081
271A7-52301A
ODXH : Φ87*149
Thread : 1 3/8"×12
Application : TCM



TMY-HC-1522
XCMG : 65B0064 21C0109
Hitachi : 4578206
ODXH : Φ156*667
ID : Φ98/41.5
Application : XIAGONG,HITACHI



TMY-HC-1208
R010052 31M5-70010
4648651 31M570010
14375002
ODXH : Φ125*158
ID : Φ59*M10x1.5
Application : HYUNDAI



TMY-HC-2003
Volvo : 1141-00010
Kobelco : 2446R330F1
ODXH : Φ200*100
ID : Φ100*M10X1.5
Application : VOLVO



TMY-HC-1009
Case : 848101118
JCB : 32/925100
Volvo : 1457431604
Fleetguard : HF7906 HF35210
ODXH : Φ99*214
ID : Φ40
Application : NEW HOLLAND,
JCB



TMY-HC-0703
Volvo : 14780306
14896991A
ODXH : Φ70.8*217
ID : Φ39
Application : HYVA old



TMY-HS-0915
ATLAS-COPCO: 1202804002
1619531400
1614556200
Fleetguard : HF35315
Donaldson : P500317
ODXH : Φ92*205
Thread : M 20x1.5
Application : ATLAS COPCO



TMY-HS-0916
ATLAS COPCO : 1625752500
1613610500
2903752501
ODXH : Φ92*205
Thread : M23 x 1.5
Application : ATLAS COPCO



TMY-HS-0922
MANN : WD950
Fleetguard : HF7968
Donaldson : P763956
ODXH : Φ96*168
Thread : 1"-12 UN
Application : BENZ



TMY-HS-1101
CNH : 82983474 47427164
Donaldson : P551364
ODXH : Φ118*260
Thread : 1 3/4"X16
Application : CASE



TMY-HS-1205
CASE : A177605
Fleetguard : HF28929
Donaldson : P165876
ODXH : Φ129*271
Thread : 1 1/2-16 UN
Application : CASE



TMY-HS-0904
CASE : 87588814
Bobcat : 6661248
JCB : 32/905501
JOHN DEERE : AL156625
AL77061
FLEETGUARD : HF6552
DONALDSON : P164375
ODXH : Φ94*152
Thread : 1 3/8-12 UNF
Application : Case,BOBCAT,JCB,
John deere



TMY-HS-0801
CAT : 5I-8670 5I-8670X
Komatsu : 418-18-3461
Fleetguard : HF35519
Donaldson : P573481
ODXH : Φ82*155
Thread : M45X2.0-6H
Application : CAT



TMY-HS-0905
CAT:093-7521
Hyundai:11N8-70110
VOLVO: 43919927
ODXH : Φ93*173
Thread : 1 1/8-16 UN
Application : CAT



TMY-HS-0802
CAT : 4I-3948
Fleetguard : HF28938
Donaldson : P170480
ODXH : Φ79*140
Thread : 2-12 UN
Application : CAT



TMY-HS-1302
CAT : 310-1252
ODXH : Φ139*312
Thread ID :
Application : CAT



TMY-HS-0903
CAT : 1G-8878 341-6643
John Deere : RE39527 RE47313
CASE : 1346028C1
VOLVO : 11036607
Bobcat : 6668819
Fleetguard : HF6555
Donaldson : P164378
ODXH : Φ95*244
Thread : 1 3/8-12 UN
Application : CAT,JOHN DEERE,
VOLVO



TMY-HS-1203
CAT : 4T-6788
New Holland : 86542664
Fleetguard : HF6710
ODXH : Φ129*169
Thread : 1 1/2-16
Application : CAT,
NEW HOLLAND



TMY-HS-1002
 CNH : 84202794 84255607
 Donaldson : P569206
 ODXH : $\Phi 100 \times 240$
 Thread : M86 x 2.5
 Application : CNH



TMY-HS-1201
 Case : 848101076
 Fleetguard : HF6177
 Donaldson : P565245
 ODXH : $\Phi 128 \times 180$
 Thread : 1 1/4-11 BSPT
 Application : Cummins



TMY-HS-1204
 John Deere: RE57394
 RE46380
 AR98329
 AR101278
 ODXH : $\Phi 129 \times 170$
 Thread : 1/2-12 UNF-2B
 Application : JOHN DEERE



TMY-HS-0906
 John Deere : RE205726
 CNH : 87308945
 Donaldson : P569401
 ODXH : $\Phi 95 \times 244$
 Thread : 1 3/8-12 UNF-2B
 Application : JOHN DEERE



TMY-HS-0806
 Hitachi : 4630525
 Fleetguard : HF35516
 ODXH : $\Phi 84 \times 165$
 Thread : M68 x 2
 Application : HITACHI



TMY-HS-0917
 Ingersoll-Rand : 39329602
 Quincy : 128381-050
 ODXH : $\Phi 95 \times 139$
 Thread : 1"-12 UN
 Application : Ingersoll-Rand



TMY-HS-1206
 John Deere : RE273801
 RE198381
 ODXH : $\Phi 121 \times 193$
 Thread : 1 3/4-12
 Application : JOHN DEERE



TMY-HS-1210
 Kerry : 537705 331800
 Fusheng : 2116020051
 ODXH : $\Phi 124 \times 272$
 Thread : 1 1/2" 16 UN
 Application : Kerry



TMY-HS-0918
 Ingersoll-Rand : 39911615
 ODXH : $\Phi 97 \times 241$
 Thread : 1 3/8-12
 Application : Ingersoll-Rand



TMY-HS-0919
 Ingersoll-Rand:54672654
 ODXH : $\Phi 94 \times 206$
 Thread : 1"-12 UN
 Application : Ingersoll-Rand



TMY-HS-0920
 Kerry:537705 330800
 ODXH : $\Phi 93 \times 210$
 Thread : M23 X 1.5
 Application : Kerry



TMY-HS-0803
 Kobelco : P-CE13-510
 CSP-10L-30
 Fleetguard : HF28894
 ODXH : $\Phi 79 \times 100$
 Thread : 3/4"-16
 Application : KOBELCO



TMY-HS-0901
 JCB : 581/18063
 581/M8563
 ODXH : $\Phi 97 \times 95.5$
 Thread : 1"-12 UN
 Application : JCB



TMY-HS-0902
 JCB : 581/M8564
 581/M7013
 ODXH : $\Phi 94 \times 94$
 Thread : 1"-12 UN
 Application : JCB



TMY-HS-0907
 Kobelco : P-CE13-533
 PS-CE05-506
 ODXH : $\Phi 97 \times 240$
 Thread : 1 3/8-12 UN
 Application : KOBELCO



TMY-HS-1207
 Kobelco : P-CE13-506
 P-CE13-520
 P-F13-3003-3
 ODXH : $\Phi 128 \times 172$
 Thread : M48 x 2
 Application : KOBELCO



TMY-HS-1202
 John deere : RE45864
 AT135800
 AT100973
 Fleetguard : HF6781
 Donaldson : P165877
 P165875
 ODXH : $\Phi 128 \times 169$
 Thread : 1 1/2-16
 Application : JOHN DEERE



TMY-HS-1001
 John Deere : RE504836
 RE507522
 RE541420
 FLEETGUARD : LF16243
 DONALDSON : P550779
 ODXH : $\Phi 100 \times 151$
 Thread : M92 X 2.5
 Application : JOHN DEERE



TMY-HS-0908
 Kobelco : P-CE13-526
 ODXH : $\Phi 93 \times 100$
 Thread : 1 1/8-16UNF
 Application : KOBELCO



TMY-HS-0910
 Kobelco : PS-CE11-505
 P-CE11-505
 PS-CE11-502
 ODXH : $\Phi 94 \times 200$
 Application : KOBELCO



TMY-HS-0909
Kobelco:P-CE13-528
ODXH : Φ93*173
Thread : 1 1/8-16 UN
Application : KOBELCO



TMY-HS-1208
Komatsu : 21N-60-12210
Fleetguard : HF28894
Donaldson : P550615
ODXH : Φ127*289
Thread : M48 x 2
Application : KOMATSU



TMY-HS-1102
Komatsu : 23S-49-13120
23S-49-13121
23S-49-13122
ODXH : Φ116*210
Thread : 1 1/2"x16
Application : KOMATSU



TMY-HS-0911
Komatsu : 600-211-5240
600-211-5241
Fleetguard : LF760
Donaldson : P552819
ODXH : Φ93*129
Thread : 1"-12 UN
Application : KOMATSU



TMY-HS-1004
Komatsu : 714-07-28712
714-07-28702
DONALDSON : P502577
P502448
ODXH : Φ106*260
Thread : M60 x 2
Application : KOMATSU



TMY-HS-0804
Kubota : HHK70-14070
K7561-14070
ODXH : Φ80*100
Thread : 3/4-16
Application : KUBOTA



TMY-HS-0912
Kubota : HHTAO-59900
TA240-59901
ODXH : Φ93*140
Thread : 1 1/8"-16
Application : KUBOTA



TMY-HS-1303
ATLAS COPCO : 2205431900
1621875050
MANN : WD13145
ODXH : Φ136*302
Thread : 1/2-16
Application : Liutech



TMY-HS-1003
Mitsubishi:35C40-11100
ODXH : Φ109*206
Thread : 1 3/8"x16
Application : MITSUBISHI



TMY-HS-1301
Iveco : 1931173
CNH : 82005016
Fleetguard : HF28885
Donaldson : P502224
P765704
ODXH : Φ135*248
Thread : 1 3/4-16
Application : NEW HOLLAND



TMY-HS-1209
CNH : 86016760 86029146
Fleetguard : HF29000
ODXH : Φ120*195
Thread : M90 X 2-7H INT
Application : NEW HOLLAND



TMY-HS-1103
CNH : 84226263
CASE : 47131182
John Deere : AT129775
FLEETGUARD : HF35305
Donaldson : P763529
ODXH : Φ116*295
Thread : 1 3/8-12 UNS
Application : NEW HOLLAND,CASE,
JOHN DEERE



TMY-HS-1211
Kobelco : CS-150-P10A
Sany : B222100000114
Fleetguard : HF35082
Donaldson : P171620
ODXH : Φ128*227
Thread : 1 1/4 BSP
Application : PERKINS



TMY-HS-1105
Quincy:128383-050
ODXH : Φ117*280
Thread : 1 1/4-11 BSP
Application : QUINCY



TMY-HS-0913
SCANIA : 1768402
DAF : 1301696
ODXH : Φ94*116
Thread : M23 x 1.5
Application : SCANIA



TMY-HS-1106
Sullair : 250025-526
Fleetguard : HF6822
Donaldson : P176325
ODXH : Φ118*286
Thread : 1 1/4-11 BSP
Application : Sullair



TMY-HS-1104
Mitsubishi : 37438-02400
37438-05501
ODXH : Φ110*173
Thread : 1 1/8"-16
Application : UNT



TMY-HS-0914
Hyundai : 31E9-0126
volvo : 14524170
Fleetguard : HF7955 HF7551
HF6005 HF28850
HF6068 HF6204
Donaldson : P556005 P779654
P779661
ODXH : Φ93*130
Thread : 1 1/8-16 UN
Application : VOLVO



TMY-HS-0923
VOLVO : 4787923
4787923-4
8003919
MANN : WD962
ODXH : Φ93*205
Thread : 1"-12 UN
Application : VOLVO



TMY-HS-0805
Yanmar : 1A7180-48210
ODXH : Φ82*155
Thread : M45X2.0-6H
Application : YANMAR



TMY-HS-0921
Yanmar : 1A8115-48310T
Fleetguard : HF6610
Donaldson : P566922
ODXH : Φ93*147
Thread : 1 1/2-16 UN
Application : YANMAR



TMY-HS-1107
Sullair : 250025-525
ODXH : Φ118*160
Thread : 1 1/4-11 BSP
Application : Sullair

► FUEL FILTER

Fuel filters free fuel from soot and dust particles, tank residues, water and other substances which can impair the functionality of modern injection systems. In accordance with the requirements of automobile manufacturers. Fuel filters should be changed every 10000-20000km or 1000 hours whichever come earlier.





TMY-FC-1001

CAT : 1R-0718 1R-0756
1R-0722
ODXH : Φ 100*235
Application : CAT



TMY-FC-0802

CAT : 360-8959
ODXH : Φ 80*237
Application : CAT



TMY-FC-1101

Kobelco : YN21P01157R100
ODXH : Φ 114*166
Application : KOBELCO



TMY-FC-0804

Hino : VH23303EV010
Toyota : 23390-OL050
ODXH : Φ 84*88
Application : KOBELCO



TMY-FC-0801

CAT : 360-8960 446-1492
ODXH : Φ 86*156
Application : CAT



TMY-FC-0902

Ford : AB39-9176-AC
ODXH : Φ 84*84.5
ID : Φ 23
Application : FORD



TMY-FC-0501

Yanmar : 129100-55650
Kubota : 15521-43160
Hitachi : 4635839
ODXH : Φ 50*89
Application : KUBOTA,
YANMAR,
HITACHI



TMY-FC-0905

Mercedes : 0000901251
9060920305
MAN : PU1046/1X
ODXH : Φ 92*103
ID : Φ 28
Application : MAN,
Mercedes benz



TMY-FC-0803

Hino : 16403-4KV0A
ODXH : Φ 81*159
ID : Φ 11
Application : HINO



TMY-FC-0913

Hino : S2340-11690
Isuzu : 8-98116662-0
ODXH : Φ 91*130
ID : Φ 19
Application : HINO



TMY-FC-0906

Mitsubishi : ME222133
ME222135
Nissan : 16403-WK900
Kobelco : YT21P01006R100
ODXH : Φ 94*104
ID : Φ 26
Application : MITSUBISHI,
KOBELCO



TMY-FC-0907

Mitsubishi : ME971550
ME971553
MC755543
FLEETGUARD : FF5122
DONALDSON : P550044
P502116
ODXH : Φ 90*138
ID : Φ 15
Application : MITSUBISHI



TMY-FC-0901

Hino : S23401-1682
23304-EV120
Nissan : 16444-Z500A
ODXH : Φ 90*110
ID : Φ 19
Application : HINO,Nissan



TMY-FC-0903

Hitachi : 4676385 4649267
4676358
Donaldson : P502463
ODXH : Φ 94*155
Application : HITACHI,Kobelco



TMY-FC-0402

Mitsubishi : MM435-190
Fleetguard : FF5711
ODXH : Φ 46*97
Application : MITSUBISHI



TMY-FC-1201

Parker : 2020TM 2020N10
Fleetguard : FS20202
ODXH : Φ 128*244
Application : PARKER



TMY-FC-0904

Kobelco : YN21P01068R100
YN21P01036R100
ODXH : Φ 94*155
Application : HITACHI,Kobelco



TMY-FC-1103

John deere : RE507284
Fleetguard : FF5716
ODXH : Φ 118*213
ID : Φ 22
Application : JOHN DEERE



TMY-FC-1202

Parker : 2020PM
John Deere : RE173721
Fleetguard : FS20203
Donaldson : P552020 P552024
ODXH : Φ 128*244
Application : PARKER



TMY-FC-0701

Separ : 005030
MANN : PU84
FLEETGUARD : FS19733
ODXH : Φ 77*25
Application : PARKER



TMY-FC-0809

Separ : 01030
Volvo : 21018746
MANN : PU911
Fleetguard : FS19605
ODXH : Φ 88*51
Application : PARKER



TMY-FC-1203

PERKINS : CH10931
Fleetguard : FF5713
Donaldson : P502479
ODXH : Φ 124*263
Application : PERKINS



TMY-FC-0703

Yanmar : 41650-502320
Nissan : 16444-29000
Fleetguard : FF5070
Donaldson : P550056
ODXH : Φ 72*90
ID : Φ 16
Application : YANMAR



TMY-FC-0601

Yanmar : 129630-55731
ODXH : Φ 61*81
ID : Φ 20
Application : YANMAR



TMY-FC-1102

Perkins : CH10930
Fleetguard : FF5714
Donaldson : P502478
ODXH : Φ 117*237
Application : PERKINS



TMY-FC-0702

Perkins : 26560163
10000-00339
ODXH : Φ 76*116
Application : PERKINS



TMY-FC-0704

Yuchai : 644-1105011-937
ODXH : Φ 71*129
ID : Φ 33
Application : YUCHAI



TMY-FC-0810

Weichai : 13022658
300080079
Volvo : 20549350
ODXH : Φ 83*102
ID : Φ 17
Application : WEICHAI



TMY-FC-0401

TCM : 20801-02061
ODXH : Φ 40*42
ID : Φ 11.6
Application : TCM



TMY-FC-0805

Toyota : 23390-0L010
23390-0L041
ODXH : Φ 84*77
ID : Φ 9
Application : TOYOTA



TMY-FC-1002

Motorcraft : FD-4615
WIX : 33615
Ford : BC3Z 9N18 4B
ODXH : Φ 102*133
ID : Φ 60.5
Application : FORD



TMY-FC-0811

Dongfeng : 20-1088-40
Sakura : F-7401
Donaldson : P502137
ODXH : Φ 85*100
ID : Φ 40
Application : DONGFENG



TMY-FC-0806

Toyota : 23390-0N090
ODXH : Φ 71.5*81
ID : Φ 50
Application : TOYOTA



TMY-FC-0908

Toyota : 23390-51070
23390-51020
ODXH : Φ 98*57
ID : Φ 11
Application : TOYOTA



TMY-FC-0602

Hitachi : YA00002973
Kobelco : LS02P01012R100
Komatsu : 421-202-3140
ODXH : Φ 60*143
ID : Φ 41
Application : HITACHI



TMY-FC-0705

PERKINS : 26560201
CAT : 1R-0724 1R-1804
1R-0794
JCB : 32/925423
ODXH : Φ 76*159
ID : Φ 34
Application : CAT,PERKINS,JCB



TMY-FC-0807

Toyota:23390-0L070
ODXH : Φ 87*108
Application : TOYOTA



TMY-FC-0808

Toyota : 23390-YZZA1
ODXH : Φ 84*77
ID : Φ 9
Application : TOYOTA



TMY-FC-1104

Parker : 2040PM 2040N10
Fleetguard : FS20403 FS1207
Donaldson : P552040
ODXH : Φ 116*117
Application : PARKER




TMY-FC-0915

Parker : 2010TM
Fleetguard : FS20102
ODXH : Φ 93*140
Thread : 1"-14 UN
Application : PARKER



TMY-FC-0915-1

Parker : 2010PM
John Deere : RE11325
Fleetguard : FS20103
Donaldson : P552010
ODXH : $\Phi 90 \times 69$
Application : PARKER



TMY-FC-0914

Hino : S2340-11730
16403-Z900J
Fleetguard : FS36212
Donaldson : P502426
ODXH : $\Phi 95 \times 193$
Application : HINO



TMY-FS-1301

CAT : 1R-0755 1R-0715
8N-3500
ODXH : $\Phi 136 \times 305$
Thread : 1 3/8"X16
Application : CAT



TMY-FS-0904

FLEETGUARD : FF5319
DONALDSON : P551712
ODXH : $\Phi 94 \times 237$
Thread : 1"-14 UNS
Application : CAT



TMY-FC-0909

Hitachi : 4642641 8980088400
Fleetguard : FF5795
Donaldson : P502422
ODXH : $\Phi 94 \times 141$
ID : $\Phi 26$
Application : HITACHI



TMY-FC-0910

Hitachi : 4679981
Hitachi : 8980742880
Fleetguard : FF5795
Donaldson : P502424
ODXH : $\Phi 94 \times 202$
ID : $\Phi 26$
Application : HITACHI



TMY-FS-0939

CAT : 6L-7440 1R-0740
ODXH : $\Phi 93 \times 176$
Thread : 1"-14 UN
Application : CAT



TMY-FS-0940

CAT : 1R-0753
Fleetguard : FF5322
Donaldson : P551312
ODXH : $\Phi 94 \times 267$
Thread : 7/8"-14
Application : CAT



TMY-FC-0911

John Deere : RE520906
RE525523
RE523236
ODXH : $\Phi 96 \times 160$
Application : JOHN DEERE



TMY-FC-0912

Kobelco : YN21P01088R100
LS21P01013R100
ODXH : $\Phi 94 \times 155$
Application : KOBELCO



TMY-FS-0905

CAT : 1P-2299
KOMATSU : 600-311-8290
600-311-9121
NISSAN : 16403-Z9007
NEW HOLLAND : 87418199
ODXH : $\Phi 93 \times 176$
Thread : 1"-14 UN
Application : CAT, KOMATSU,
NISSAN, CNH



TMY-FS-0906

Fleetguard : FF105D
Donaldson : P550106
ODXH : $\Phi 93 \times 144$
Thread : 1"-14 UNS
Application : Cummins



TMY-FS-0901

CAT : 1R-0710 9L-9100
ODXH : $\Phi 93 \times 138$
Thread : 15/16-16 UN-2B
Application : CAT



TMY-FS-0810

CAT : 1R-0750 1R-1740
1W-8633 6L-7440
ODXH : $\Phi 86 \times 182$
Thread : 1"-14 UN
Application : CAT



TMY-FS-0907

Fleetguard : FF185
Donaldson : P557440
ODXH : $\Phi 93 \times 176$
Thread : 1"-14 UNS
Application : Cummins



TMY-FS-0908

Hitachi : 4088272 4920586
Fleetguard : FF2200
Donaldson : P552200
ODXH : $\Phi 95 \times 232$
Thread : M72 x 2.0
Application : Cummins



TMY-FS-0801

CAT : 1R-0751
1R-0759 6L-4783
ODXH : $\Phi 80 \times 176$
Thread : 7/8"-14
Application : CAT



TMY-FS-0903

CAT : 1R-0749
Fleetguard : FF5319
Donaldson : P551311
ODXH : $\Phi 94 \times 267$
Thread : 7/8"-14
Application : CAT



TMY-FS-0909

Fleetguard : FF2203
Donaldson : P552203
ODXH : $\Phi 94 \times 147$
Thread : 1"-14 UNS
Application : Cummins



TMY-FS-0701

Fleetguard : FF42000
ODXH : $\Phi 82 \times 116$
Thread : M16 X 1.5-6H INT
Application : Cummins



TMY-FS-0702

Volvo : 21492771
 Renault : 5000686589
 Hyundai : 11E1-70010
 Komatsu : 6732-71-6110
 MANN : WK723 WK719/6
 Fleetguard : FF5018 FF5052
 Donaldson : P553004
 ODXH : Φ76*125
 Thread : M16 X 1.5-6H INT
 Application : Cummins



TMY-FS-0910

Hyundai : 31950-93001
 Fleetguard : FF5089
 Donaldson : P550932
 ODXH : Φ94*120
 Thread : M20 X 1.5
 Application : Cummins



TMY-FS-1002

Doosan : 65.12503-5033A
 65.12503-5027
 Howo : VG1540080110
 Yuchai : D638-000-802a+A
 ODXH : Φ108*210
 Thread : 1"-14 UN
 Application : Doosan



TMY-FS-0916

Doosan : 65.12503-5026
 65.12503-5026A
 Iveco : 2992241
 Fleetguard : FF5485 FF5420
 DONALDSON : P550881
 ODXH : Φ94*174
 Thread : M20 X 1.5
 Application : DOOSAN



TMY-FS-1001

Iveco : 5262311 5257997
 Fleetguard : FF5706
 ODXH : Φ101*213
 Thread : B100×4
 Application : Cummins



TMY-FS-1101

IVECO : 299202
 MANN-FILTER WK 12 111
 Komatsu : 600-311-7111
 Fleetguard : FF202
 Donaldson : P550202
 ODXH : Φ119*288
 Thread : 1 1/4-12
 Application : Cummins,IVECO



TMY-FS-1014

Hino : VH23390E0020
 23390-E0020
 23390-E0050
 Parker : R120-PHC-01
 Fleetguard : FF5688
 Donaldson : P502466
 ODXH : Φ108*210
 Thread : 1"-14 UN
 Application : HINO



TMY-FS-0917

Hitachi : 4616545 4S00215
 4206080
 FLEETGUARD : FF5108
 DONALDSON : P552564
 ODXH : Φ90*125
 Thread : 3/4"X16
 Application : HITACHI



TMY-FS-0911

Perkins : 25014274
 Fleetguard : FF5207
 Donaldson : P556915
 ODXH : Φ93*210
 Thread : 1"-12 UN
 Application : Cummins,Perkins



TMY-FS-0912

DAF : 1345335
 MANN : WDK925
 Fleetguard : FF5366
 ODXH : Φ93*144
 Thread : M22 x 1.5
 Application : DAF



TMY-FS-0918

Hyundai : 31945-84040
 Donaldson : P502539
 ODXH : Φ96*170
 Thread : M22 X 1.5
 Application : HYUNDAI



TMY-FS-0919

CAT : 5I-7951
 Hyundai : 31950-93000
 Fleetguard : FF5089
 Donaldson : P550932
 ODXH : Φ94*120
 Thread : M20 X 1.5
 Application : Hyundai,CAT



TMY-FS-0913

Detroit : 23518481
 ODXH : Φ93*210
 Thread : 1"-12 UN
 Application : DETROIT



TMY-FS-0914

Detroit : 23518482
 Fleetguard : FF5206
 Donaldson : P556916
 ODXH : Φ93*175
 Thread : 13/16"X12
 Application : DETROIT



TMY-FS-0704

Iveco : 1907640 1900953
 Fleetguard : FF5284 FF5018
 ODXH : Φ76*124
 Thread : M16 X 1.5
 Application : IVECO



TMY-FS-1003

Iveco : 2994048 500315480
 Fleetguard : FF5471
 Donaldson : P763995
 ODXH : Φ108*168
 Thread : M16 X 1.5
 Application : IVECO



TMY-FS-0915

Deutz : 01174422
 01181245
 ODXH : Φ93*142
 Thread : M16 X 1.5
 Application : DEUTZ



TMY-FS-0703

Deutz : 01174696
 MANN : WK712/2
 Fleetguard : FF5040
 Donaldson : P550345
 ODXH : Φ77*83
 Thread : M16 x 1.5
 Application : DEUTZ



TMY-FS-0920

Iveco : 2995655
 ODXH : Φ93*143
 Thread : M22 X 1.5
 Application : IVECO



TMY-FS-0921

Iveco : 5041995510
 Fleetguard : FF5457
 ODXH : Φ94*214
 Thread : M16 X 1.5
 Application : IVECO



TMY-FS-0922

JCB : 02/800001
581/18096
ODXH : $\Phi 90 \times 100$
Thread : M20 X 1.5
Application : JCB



TMY-FS-1004

John Deere : RE533910
Fleetguard : FS1093
Donaldson : P576926
ODXH : $\Phi 108 \times 233$
Thread : 1"-14 UN
Application : JOHN DEERE



TMY-FS-0924

Komatsu : 6754-71-6140
6754-79-6140
New holland : 87803208
87803200
Fleetguard : FF5421 Ff5612
Donaldson : P550881
ODXH : $\Phi 94 \times 174$
Thread : M20 x 1.5
Application : KOMATSU,
NEW HOLLAND



TMY-FS-0805

Kubota : 15221-43170
15067-43170
ODXH : $\Phi 88 \times 85$
Thread : M20 x 1.5
Application : KUBOTA



TMY-FS-1005

HINO : VH23390E0020T1
ODXH : $\Phi 108 \times 202$
Thread : 1"-14 UN
Application : KOBELCO



TMY-FS-1103

Isuzu : 8-98312918-0
8-98239464-1
ODXH : $\Phi 111 \times 220$
Thread :
Application : KOBELCO,ISUZU



TMY-FS-0925

Kubota : 15221-43080
15601-43170
ODXH : 90×100
Thread : M20 x 1.5
Application : KUBOTA



TMY-FS-0926

Mitsubishi : 32562-60200
32562-30200
ODXH : $\Phi 93 \times 173$
Thread : 1" -14 UN
Application : MITSUBISHI



TMY-FS-1104

Komatsu : 600-311-3550
600-319-3520
ODXH : $\Phi 119 \times 286$
Thread : 1 5/8-12
Application : KOMATSU



TMY-FS-1201

Komatsu : 600-319-3841
600-311-3841
Donaldson : P502480
ODXH : $\Phi 125 \times 275$
Thread : 1 3/8-12
Application : KOMATSU



TMY-FS-0806

Mitsubishi : 34462-00300
Hyundai : 31945-8Y000
Fleetguard : FF5300
Donaldson : P502143
ODXH : $\Phi 80 \times 100$
Thread : M20 x 1.5
Application : MITSUBISHI



TMY-FS-0927

Mitsubishi : 32562-60300
32562-30300
ODXH : 94×136
Thread : 1"-14 UNS
Application : MITSUBISHI



TMY-FS-0803

Komatsu : 600-311-6220
600-311-9520
600-311-7460
Fleetguard : FF5081
Donaldson : P550057
ODXH : $\Phi 84 \times 86$
Thread : 3/4-16 UN
Application : KOMATSU



TMY-FS-0705

Komatsu : 600-311-8220
600-311-8230
6136-71-6120
600-311-8221
ODXH : $\Phi 76 \times 116$
Thread : 3/4"-16
Application : KOMATSU



TMY-FS-0928

Mitsubishi : ME015254
ME035829
ME240521
ODXH : $\Phi 90 \times 128$
Thread : M20 X 1.5
Application : MITSUBISHI



TMY-FS-1006

Mitsubishi : ME162902
ME132526
Fleetguard : FF5375
Donaldson : P502233
ODXH : $\Phi 109 \times 202$
Thread : 1 1/8"X16
Application : MITSUBISHI



TMY-FS-0923

Komatsu : 600-311-3750
600-319-3750
Hyundai : 11LB-70020
Fleetguard : FF5488 FF5321
Donaldson : P551315
ODXH : $\Phi 93 \times 174$
Thread : 7/8-14 UN
Application : KOMATSU,
Hyundai



TMY-FS-0804

Komatsu : 600-311-3870
600-319-3870
Mitsubishi : 34362-04100
ODXH : $\Phi 83 \times 146$
Thread : 13/16"-16
Application : KOMATSU,
Mitsubishi



TMY-FS-1007

MTU : 0020922801
ODXH : $\Phi 108 \times 260$
Thread : M32 x 1.5
Application : MTU



TMY-FS-0929

MTU : X57508300028
X57599100171
ODXH : $\Phi 98.5 \times 209$
Thread : 1-12 UNF-2B
Application : MTU



TMY-FS-0807

Perkins : 4415122 26550005
 Fleetguard : FF5788
 Donaldson : P502420
 ODXH : Φ87*71
 ID : Φ19
 Application : PERKINS



TMY-FS-0808

Perkins : 2656F843
 CAT : 299-8229
 Fleetguard : FF261
 Donaldson : P502504
 ODXH : Φ86*145
 Thread : M12 X 1.5
 Application : PERKINS



TMY-FS-1011

Volvo : 3888460
 MANN : WK1144
 Donaldson : P551033
 ODXH : 107*147
 Thread : 1"-14 UN
 Application : VOLVO



TMY-FS-0935

Volvo : 8193841 20805349
 MANN : WK962/7
 Donaldson : P550372
 ODXH : Φ94*207
 Thread : M18 x 1.5
 Application : VOLVO



TMY-FS-1008

Perkins : 26560137
 ODXH : Φ108*181
 Thread : 7/8-14
 Application : PERKINS



TMY-FS-0930

PERKINS : 4587258
 ODXH : Φ94*270
 Thread : 1"-14 UN
 Application : PERKINS



TMY-FS-0936

Volvo : 11711074
 Fleetguard : FF5167
 ODXH : Φ93*142
 Thread : M16 X 1.5
 Application : VOLVO



TMY-FS-1012

Weichai : 612630080087
 1000422382
 MANN : WDK11102/4
 Fleetguard : FF5740
 ODXH : Φ108*262
 Thread : M32 X 1.5-6H INT
 Application : WEICHAH



TMY-FS-0809

Perkins : 26561117
 Iveco : 1901629
 MANN : P917/2X
 ODXH : Φ85*71
 Thread :
 Application : PERKINS,CAT



TMY-FS-0932

Thermo King : 11-9342 11-8047
 12-9342
 Donaldson : P550834
 ODXH : Φ94*126
 Thread : M22 x 1.5
 Application : Refrigeration Units



TMY-FS-0937

Weichai : 612600081334
 ODXH : Φ94*170
 Thread : M20 X 1.5
 Application : WEICHAH



TMY-FS-1015

Weichai : 1000447498
 410800080092
 ODXH : Φ108*205
 Thread : 1"-14 UN
 Application : WEICHAH



TMY-FS-1009

Renault : 7420972291
 Volvo : 20972293
 MANN : WDK11102/11
 ODXH : Φ108*263
 Thread : M32 X 1.5
 Application : RENAULT,VOLVO



TMY-FS-0933

Renault : 5010477855
 MANN : WK940/20
 ODXH : Φ93*147
 Thread : M18 X 1.5
 Application : RENAULT,VOLVO



TMY-FS-0938

Yanmar : 119000-55601
 Fleetguard : FF5087
 Donaldson : P550048
 ODXH : Φ95*80
 Thread : M20 x 1.5
 Application : YANMAR



TMY-FS-0931

Yanmar : 129907-55801
 Fleetguard : FF165 FF5806
 Donaldson : P550643
 ODXH : Φ93*160
 Thread : M20 x 1.5
 Application : YANMAR,
 KOMATSU



TMY-FS-1010

Volvo : 20976003
 21879886
 Renault : 7420976001
 Fleetguard : FF254
 Donaldson : P550529
 ODXH : Φ108*262
 Thread : M32 X 1.5-6H INT
 Application : RENAULT,VOLVO



TMY-FS-0934

DAF : 1373082
 SCANIA : 1372444
 ODXH : Φ94*142
 Thread : M24 x 1.5
 Application : SCANIA



TMY-FS-1013

Yuchai : G5800-1105140C-937
 ODXH : Φ109*204
 Thread : 1"-14 UN
 Application : YUCHAI



TMY-FS-0708

Yuchai : 6105QA-1105300A-937
 ODXH : Φ76*148
 Thread : M16 X 1.5
 Application : YUCHAI



TMY-FS-0802
Weichai : CX0710B4
Yuchai : 1117101-A01-0000W
YCX-6349
Fleetguard : FS19587
ODXH : Φ83*145
Thread : M20×1.5
Application : Cummins



TMY-FS-0941
Hitachi : 4960198 4088272
4920586
Fleetguard : FF5687
ODXH : Φ95*239
Thread : M72*2
Application : Cummins



TMY-FWS-0801
CAT : 156-1200
DONALDSON : P550666
FLEETGUARD : FS19621
FS19573
MANN-FILTER : WK8126
ODXH : Φ83*135
Application : CAT



TMY-FWS-1006
CAT : 326-1644 1R-0770
326-1642
ODXH : Φ 108*180
Thread : 1"-14 UN
Application : CAT



TMY-FS-0942
Hino : 23304-EV280
Sakura : FC-13210
ODXH : Φ92*90
Thread : 1-14" UNS-2B
Application : HINO



TMY-FWS-0908
Case : 87356194 87356193
Hyundai : 11LB-70030
Fleetguard : FS19732
Fs19784
Donaldson : P550848
ODXH : Φ94*202
Thread : 1"-14 UN
Application : ATLAS COPCO



TMY-FWS-1301
CAT : 316-9954 382-0664
438-5386
ODXH : Φ 134*324
Thread : 1 1/4-12
Application : CAT



TMY-FWS-1007
CAT : 326-1641
ODXH : Φ 108*235
Thread : 1"-14 UN
Application : CAT



TMY-FWS-1002
Baldwin : BF1265
ODXH : Φ 108*217
Thread:1"-14 UN 3 3/4-10 UN
Application : BADLWIN



TMY-FWS-1001
SHANGCHAI : D638-002-04A
Mercedes : A3760927301KZ
A4760927201KZ
MANN-FILTER WK 1156/1
RACOR R60-10-HP
ODXH : Φ 108*210
Thread : M22 X 1.25
Application : BENZ



TMY-FWS-0802
CAT : 361-9554
John Deere : RE541922
Fleetguard : FS20049
Donaldson : P551433
ODXH : Φ94*207
Application : CAT



TMY-FWS-1008
CAT : 326-1643 1R-0771
ODXH : Φ 108*220
Thread : 1"-14 UN
Application : CAT



TMY-FWS-1003
Benz : A0004771302
Parker : R90-MER-01
FLEETGUARD : FS19737
ODXH : Φ 108*230
Thread : 1"-14 UN
Application : BENZ



TMY-FWS-1032
MANN : WK1060 WK1060/1
MAHLE : KC126
MERCEDES-BENZ :
384 477 70 15 KZ
ODXH : 108*276
Thread : M10 X 1.5
1-12 UNF
Application : BENZ



TMY-FWS-0803
CAT : 233-9856 117-4089
131-1812
JOHN DEERE : RE62424
Perkins : MP10326
ODXH : Φ84*155
Application : CAT,JOHN DEERE,
PERKINS



TMY-FWS-0901
Fleetguard : FS1003 FS1022
FS1065 FS1067
Donaldson : P551103 P551003
P564872
ODXH : Φ94*255
Thread : 1"-14 UN
Application : Cummins



TMY-FWS-0701
CASE : 84171722 87803189
CNH : 87803187
Fleetguard : FS19680 FS19774
ODXH : Φ77*163
Thread : M16 X 1.5
Application : CASE



TMY-FWS-1005
CAT : 133-5673
Fleetguard : FS19574
Donaldson : P550748
ODXH : Φ 108*217
Thread : 1"-14 UN
Application : CAT



TMY-FWS-0902
Fleetguard : FS1240
Donaldson : P502516
P550691
ODXH : Φ93*79
Thread : 1" -14 UN
Application : Cummins



TMY-FWS-1009
Dongfeng : 1119ZD2A-030
Fleetguard : FS19789
ODXH : Φ 109*274
Thread : 1"-14 UN
Application : Cummins



TMY-FWS-1101

Fleetguard : FS19816 FS19922
FS36230
Donaldson : P551077
ODXH : Φ118*193
Thread : 1"-14 UN
Application : Cummins



TMY-FWS-1010

Fleetguard : FS19932
Donaldson : P551034
ODXH : Φ108*182
Thread : 3 3/4"-10 1"-14 mm
Application : Cummins



TMY-FWS-0804

Howo : 612600080217
Weichai : 13020488
ODXH : Φ81*184
Thread : M16 x 1.5
Application : DEUTZ,HOWO



TMY-FWS-0805

Deutz : 01174482
ODXH : Φ81*155
Thread : M16 x 1.5
Application : DEUTZ,WEICHAI



TMY-FWS-0903

Fleetguard : FS19616
FS36209
FS36268
Fs19161
Donaldson : P550929
ODXH : Φ93*201
Thread : M20 X 1.5
Application : Cummins



TMY-FWS-1011

Fleetguard : FS36231 FS36215
Liugong : 53C0576
ODXH : Φ108*158
Thread : 1"-14 UN
Application : Cummins



TMY-FWS-1029

Donaldson : P551055
ODXH : Φ108*155
Thread : 3 3/4"-10
Application : DONALDSON



TMY-FWS-1103

Doosan : 400508-00062
ODXH : Φ111*143
Application : DOOSAN



TMY-FWS-0904

Hyundai : 11NA-71041
Komatsu : 600-311-3620
600-319-3610
FLEETGUARD : FS1242
Donaldson : P502516
ODXH : Φ93*156
Thread : 1"-14 UN
Application : Cummins,
Hyundai



TMY-FWS-1012

JOHN DEERE : RE503674
Fleetguard : FS19574
Donaldson : P550748
ODXH : Φ108*217
Thread : 1"-14 UN 3 3/4"-10 UN
Application : Cummins,
JOHN DEERE



TMY-FWS-1104

Doosan : 400508-00063
ODXH : Φ111*197
Thread : 1"-14 UN
Application : DOOSAN



TMY-FWS-0906

Doosan : 65.12503-5011D
65.12503-5016A
400504-00218
Fleetguard : FS1212 FS36253
ODXH : Φ94*188
Thread : 1"-14 UN
Application : DOOSAN



TMY-FWS-0905

CAT : 256-8753
JOHN DEERE : RE160384
HITACHI : 4377880
GM : 25313753
FLEETGUARD : FS1000
DONALDSON : P551000
ODXH : Φ94*257
Thread : 1"-14 UN
Application : Cummins,Case,
John Deere,CAT



TMY-FWS-0703

Komatsu : 600-311-7480
Fleetguard : FS19594
Donaldson : P550550
ODXH : Φ79*142
Thread : 3/4"-16
Application : Cummins,
KOMATSU



TMY-FWS-1013

Doosan : 65.12503-5028
65.12503-5101
Hyundai : 31945-87000
ODXH : Φ108*157
Thread: 1"-14 UN M96 X 2.5
Application : DOOSAN,
HYUNDAI



TMY-FWS-1201

Perkins : SE429B/4
Komatsu : 600-311-3111
Fleetguard : FS1006 FS1216
FS19870 FS1013
ODXH : Φ120X313
Thread : 1 1/4" -12
Application : FLEETGUARD



TMY-FWS-1102

NEW HOLLAND : 441701A1
Fleetguard : FS1040 FS1031
FS1007
Donaldson : P551047 P551040
ODXH : Φ118*295
Thread : M85 x 2 -7H
Application : Cummins,
New Holland



TMY-FWS-0704

Renault : 7701030195
MANN : WDK725
LOVOL : T64102003
Fleetguard : FS1251
Donaldson : P550248
ODXH : Φ77*143
Thread : M16 X 1.5-6H INT
Application : Cummins,
RENAULT,
PERKINS



TMY-FWS-1111

Fleetguard : FS36247 5301449
ODXH : Φ111*190
Thread : 1"-14 UN
Application : FLEETGUARD



TMY-FWS-0907

Hitachi : 4616864
Sany : B222100000492
Donaldson : P558000
ODXH : Φ93*195
Thread : 1-14 UN
Application : HITACHI



TMY-FWS-0909
 Hitachi : 4616544
 Mitsubishi : ME056670
 Sumitomo : KHH10030
 ODXH : Φ93*172
 Thread : M24 x 1.5
 Application : Hitachi, Sumitomo



TMY-FWS-1014
 JOHN DEERE : RE500186
 MAN : 51.125.030.066
 HYUNDAI : 11LB-20310
 ODXH : Φ108*155
 Thread : 1"-14 UN
 3 3/4-10 BUTT
 Application : Hyundai



TMY-FWS-0811
 CAT : 159-6102
 Perkins : 26560143
 JOHN DEERE : RE62419
 RE52987
 MANN : WK8102
 ODXH : Φ83*152
 Application : JOHN DEERE



TMY-FWS-0808
 John Deere : RE508633
 Fleetguard : FS19835 FS19794
 Donaldson : P551428
 ODXH : Φ83*197
 Application : JOHN DEERE



TMY-FWS-0910
 Hyundai : 11E1-70210
 Fleetguard : FS1280
 ODXH : Φ93*168
 Thread : 13/16-18 UNS-2B
 Application : Hyundai, JCB



TMY-FWS-0911
 Iveco : 1908547 1907539
 Fleetguard : FS1254
 Donaldson : P550665
 ODXH : Φ96*200
 Thread : M14 X 1.5
 Application : IVECO



TMY-FWS-0812
 John Deere : RE522878
 RE541925
 Fleetguard : FS19976
 Donaldson : P551422
 ODXH : Φ85*196
 ID : Φ70
 Application : JOHN DEERE



TMY-FWS-0813
 John Deere : RE526557
 Fleetguard : FS19978
 ODXH : Φ83*154
 Application : JOHN DEERE



TMY-FWS-0912
 Iveco : 2992662 504033833
 Fleetguard : FS19821
 Donaldson : P550904
 ODXH : Φ96*184
 Thread : M16 x 1.5
 Application : IVECO



TMY-FWS-1015
 IVECO : 2997378
 SCANIA : 1780730
 ODXH : Φ108*230
 Thread : 1"-14 UN
 Application : IVECO



TMY-FWS-1004
 John deere : RE532952
 RE539465
 Donaldson : P552952
 ODXH : Φ108*216
 Thread : 7/8-14 UN
 Application : JOHN DEERE



TMY-FWS-0814
 John Deere : RE60021
 RE503747
 Fleetguard : FS19573
 Donaldson : P551423
 ODXH : Φ83*116
 ID : Φ23
 Application : JOHN DEERE



TMY-FWS-0806
 Iveco : 26561118
 JCB : 32/912001
 Fleetguard : FF5135
 Donaldson : P550588
 ODXH : Φ81*155
 Thread : M16 x 1.5
 Application : IVECO



TMY-FWS-0807
 JCB : 32/925994 32/925869
 ODXH : Φ83*196
 Application : JCB



TMY-FWS-1016
 John Deere : RE522688
 ODXH : Φ108*174
 Thread : 7/8-14
 Application : JOHN DEERE



TMY-FWS-1017
 John Deere : RE531703
 Fleetguard : FS19701
 Donaldson : P550668
 ODXH : Φ108*297
 Thread : 1"-14 UN M14 x 2.0
 Application : JOHN DEERE



TMY-FWS-0810
 JCB : 32/925694
 ODXH : Φ89*127
 Application : JCB



TMY-FWS-0809
 JCB : 320/07155 320/07394
 Donaldson : P765325
 ODXH : Φ86*178
 Application : JCB



TMY-FWS-0815
 John Deere : RE62418
 Fleetguard : FS19516
 Donaldson : P550351
 ODXH : Φ84*115
 Application : JOHN DEERE



TMY-FWS-0915
 Komatsu : 600-311-4120
 600-319-4110
 ODXH : Φ93*120
 Thread : M24 x 1.5
 Application : Komatsu



TMY-FWS-1105

Komatsu : 600-311-3240
600-311-4510
600-311-3410
600-319-4540
Parker : S3207T
ODXH : Φ 118*255
Thread : 1 1/4"X12
Application : KOMATSU



TMY-FWS-1401

Komatsu : 600-319-5410
600-311-5410
ODXH : Φ 140*295
Thread : M33 X 2
Application : KOMATSU



TMY-FWS-1020

Weichai : 612630080203
Parker : R90T-PHC-B1
Fleetguard : FS36210
ODXH : Φ 108*275
Thread : 1"-14 UN
Application : PARKER,WEICHA



TMY-FWS-0921

Perkins : OD19596
DAF : 1356836
Fleetguard : FF4036
Donaldson : P550365
ODXH : Φ 94*192
Thread : M24 X 1.5-6H INT
Application : PERKINS



TMY-FWS-1302

Komatsu : 600-319-5610
600-319-5611
ODXH : Φ 137*173
Thread : M36*1.5-5
Application : KOMATSU



TMY-FWS-1106

Komatsu : 600-319-5910
600-311-5910
ODXH : Φ 110*160
Thread : M36X1.5-5
Application : KOMATSU



TMY-FWS-1021

Perkins : 4587259
ODXH : Φ 107*270
Thread : 1"-14 UN
Application : PERKINS



TMY-FWS-0922

Perkins : 2656F853
2656F501
CAT : 308-7298
ODXH : Φ 94*174
Thread : M22 x 1.5
Application : PERKINS



TMY-FWS-0817

Perkins : 26560145
CAT : 138-3100
ODXH : Φ 83*135
Application : NEW HOLLAND,
PERKINS



TMY-FWS-1018

Hino : 23401-1440
Fleetguard : FS1287
Parker : R60P R60T
ODXH : Φ 108*129
Thread : 1"-14 UN
BOWL : 3 3/4-10 BUTT
Application : PARKER



TMY-FWS-0601

Perkins : 130306380
ODXH : Φ 62*130
Application : PERKINS



TMY-FWS-1108

Parker : R45S-PHC-C
R60S-PHC-C
ODXH : Φ 111*102
Thread : 1"-14 UN
Application : RACOR



TMY-FWS-0916

Parker : S3213
ODXH : Φ 94*100
Thread : 1 1/16"X16
Application : PARKER



TMY-FWS-0917

Parker : R20P
Fleetguard : FS19996
ODXH : Φ 94*102
Thread : 1"-14 UN
Application : PARKER



TMY-FWS-1022

Renault : 7421380472
Volvo : 21380475
21017305
ODXH : Φ 108*128
Thread : 1"-14 UN 3 1/8-10 UN
Application : RENAULT,VOLVO



TMY-FWS-1109

Yuchai : 150-1105020A-937
Shangchai : C85AB-85AB302+A
D00-305-03+A
ODXH : Φ 110*164
Thread : 1"-14 UN
Application : SHANGCHAI



TMY-FWS-1019

Parker : R120P
Hino : 23414-E0020
John Deere : RE502203
Fleetguard : FS19754
Donaldson : P551859
ODXH : Φ 108*217
Thread : 1"-14 UN
3 3/4-10 UN
Application : PARKER



TMY-FWS-0918

Parker : 2R0 127 177
2R0 201 511
MANN : WK950/14
ODXH : Φ 96*244
Application : PARKER



TMY-FWS-1023

Hino : 23390-E0010
Parker : R90P
John Deere : RE500186
Volvo : 8159975
Fleetguard : FS19532
Donaldson : P550747
ODXH : Φ 108*155
Thread : 1"-14 UN
3 3/4-10 BUTT
Application : VOLVO



TMY-FWS-0705

Volvo : 3847644
ODXH : Φ 75*86
Thread : 13/16-18
Application : VOLVO



TMY-FWS-1024

Volvo : 21380488
Renault : 7421380483
JOHN DEERE : RE500186
MAN : 51.125.030.066
HYUNDAI : 11LB-20310
Scania : 1518512
MANN : WK1070X
ODXH : Φ 108*158
Thread : 1"-14 UN
Application : VOLVO



TMY-FWS-0923

Volvo : 20998367 20514654
MANN : WK940/33x
Fleetguard : FS19735
Donaldson : P551843
ODXH : Φ 93*140
Thread : 1"-14 UN
Application : VOLVO



TMY-FWS-0821

Yuchai : A3000-1105020
ODXH : Φ 82*185
Thread : M14 x 1.5
Application : YUCHAI



TMY-FWS-0706

Komatsu : 600-311-2110
Toyota : 23390-64450
ODXH : Φ 72*122
Thread : M36 x 1.5
Application : KOMATSU



TMY-FWS-1025

Volvo : 11110688 11110709
11110683
Parker : R160T
Fleetguard : FS19737
FS19914
Donaldson : P559118
ODXH : Φ 108*219
Thread : 1"-14 UN
Application : VOLVO



TMY-FWS-1026

Volvo : 11110474 11110668
Weichai : 612630080205
Fleetguard : FS19753
Donaldson : P505957
ODXH : Φ 108*204
Thread : 1"-14 UN
Application : VOLVO



TMY-FWS-0914

Liugong : 5263942
Fleetguard : FS36203
ODXH : Φ 93*195
Thread : 13/16-18
Application : Cummins, Liugong



TMY-FWS-1031

Hitachi : 4960197
Fleetguard : FS36260
ODXH : Φ 109*336
Thread : 1" - 14
Application : Cummins



TMY-FWS-0818

VW : 068127177
FORD : 84AB9150AA
MANN : WK842/2
ODXH : Φ 81*155
Thread : M16 x 1.5
Application : VW



TMY-FWS-1028

Howo : 612600081335
612630080088
612600081320
Doosan : 471-00082
MANN : PL420X
ODXH : Φ 108*230
Thread : 1"-14 UN
Application : WEICHAH



TMY-FWS-1033

Fleetguard : FS19898
ODXH : Φ 109*336
Thread : 1" - 14
Application : Cummins



TMY-FWS-1107

Deutz : 0450 4438
Weichai : WG9725551311/1
MANN : PL271/1
ODXH : Φ 110*185
Thread : 1"-14
Application : DEUTZ



TMY-FWS-1027

Weichai : 13050733 1000700908
MANN : PL270X
Fleetguard : FS19907
Donaldson : P551034
ODXH : Φ 108*150
Thread : 1"-14 UN
Application : Weichai



TMY-FWS-0924

Yanmar : YM129901-55850
ODXH : Φ 91*140
Thread : M20 x 1.5 M36 x 1.5
Application : YANMAR



TMY-FWS-1013

Parker : R25P R25T
Volvo : 20386080 20539578
Fleetguard : FS19704
Donaldson : P502490 P502517
ODXH : Φ 93*140
Thread : 1"-14 UN
Application : PARKER, VOLVO



TMY-FWS-1030

Volvo : 21088101 21538975
21088099 550228577
ODXH : 108*165
Thread : 1"-14 UN
Application : VOLVO



TMY-FWS-1110

Yuchai : B7604-1105200
ODXH : Φ 110*145
Thread : 1 1/8"-16
Application : YUCHAI



TMY-FWS-0820

Yuchai : A3000-1105030
ODXH : Φ 82*190
Thread : M16 X 1.5
Application : YUCHAI



TMY-FWS-1034

Fleetguard : FS36234 FS36218
FS36241 FS36216
ODXH : 108*231
Thread : 1"-14 UN
Application : Cummins

► OIL FILTER

Oil filters remove dust, abraded metal, soot particles and other types of dirt from the circulating oil, ensuring that only clean oil reaches the lubrication points and bearings. The filters also feature high heat resistance, extremely long-term mechanical stability with respect to pressure surges, and resistance to aggressive oil components, thus meeting the requirements of highly advanced modern engines. Our oil filters are high-quality sealing materials and a secure, reliable connection between seal, end disk and filter paper.
Oil filters should be changed every 5000-10000km or 500 hours whichever comes earlier



TMY-FK-0803

CAT : 9P-7121
ODXH : $\Phi 80 \times 251$
Application : CAT



TMY-FK-0804

Doosan : 2471-9046 471-00105
ODXH : $\Phi 83 \times 267$
Thread :
Application : DOOSAN



TMY-FK-0802

Kobelco : PW50V00009P1
Yanmar : 15521-00320
Hitachi : 4279093
ODXH : $\Phi 85 \times 132$
Thread :
Application : HITACHI



TMY-FK-0701

Summitomo : KHH0500
Hitachi : 4372677 4372619
4353560
ODXH : $\Phi 70 \times 231$
Thread :
Application : HITACHI



TMY-FK-0801

Kobelco : YN50V00021P1
ODXH : $\Phi 85 \times 223$
Thread :
Application : KOBELCO



TMY-FK-0805

Komatsu : 22U-04-21241
ODXH : $\Phi 83 \times 134$
Thread :
Application : KOMATSU



TMY-FK-0806

Komatsu : 205-04-71140
07056-18416
Hitachi : 4121496
ODXH : $\Phi 82 \times 160$
Thread :
Application : KOMATSU



TMY-FK-0807

Komatsu : 07056-18425
ODXH : $\Phi 82 \times 223$
Thread :
Application : KOMATSU



TMY-FK-0401

Komatsu : KST2050
ODXH : $\Phi 48 \times 187$
Thread :
Application : KOMATSU
PC40/50



TMY-FK-0501

Yanmar : 119802-55710
ODXH : $\Phi 52 \times 117$
Thread :
Application : YANMAR



TMY-FK-0502

Yanmar : 129242-55730
ODXH : $\Phi 52 \times 117$
Thread :
Application : YANMAR



TMY-LC-0902
 MANN : PF1050-1N
 Benz : 601 184 01 25
 ODXH : $\Phi 92 \times 169$
 Application : BENZ



TMY-LC-1801
 CAT : 1R-0726
 Fleetguard : LF3485
 Donaldson : P557500
 ODXH : $\Phi 188 \times 253$
 ID : $\Phi 67$
 Application : CAT



TMY-LC-1202
 Mitsubishi : ME054238
 31240-53015
 ODXH : $\Phi 128 \times 160$
 Thread ID : $\Phi 20/16$
 Application : MITSUBISHI



TMY-LC-0901
 Mitsubishi : 31440-12030
 Fleetguard : LF16273
 Donaldson : P502180
 ODXH : $\Phi 92 \times 160$
 Thread ID : $\Phi 17$
 Application : MITSUBISHI



TMY-LC-1001
 CAT : 322-3155 322-3154
 ODXH : $\Phi 102 \times 237$
 ID : $\Phi 78$
 Application : CAT



TMY-LC-1002
 Hino : 15607-1560
 S1560-72340
 Isuzu : 1-87810777-0
 Fleetguard : LF3511
 Donaldson : P550379
 ODXH : $\Phi 104 \times 185$
 Application : HINO



TMY-LC-1302
 Mitsubishi : ME054236
 ODXH : $\Phi 130 \times 299$
 Thread ID : $\Phi 15$
 Application : MITSUBISHI



TMY-LC-0701
 MTU : X57518300024
 ODXH : $\Phi 72 \times 200$
 Application : MTU



TMY-LC-1003
 Hino : 15601-E0240
 ODXH : $\Phi 104 \times 190$
 Application : HINO



TMY-LC-1004
 Hino : 15607-1040
 15208-Z9025
 Isuzu : 1-13240109-1
 Fleetguard : LF3319
 Donaldson : P550010
 ODXH : $\Phi 102 \times 166$
 ID : $\Phi 49.5 \times 23$
 Application : HINO



TMY-LC-1203
 Perkins : CH10929 CH11010
 Fleetguard : LF16250
 Donaldson : P502477
 ODXH : $\Phi 125 \times 262$
 ID : $\Phi 43$
 Application : PERKINS



TMY-LC-0801
 Weichai : 13055724
 13010970
 ODXH : $\Phi 81 \times 161$
 ID : $\Phi 16$
 Application : WEICHAI



TMY-LC-1401
 Hino : S1560-72360
 15607-2280
 Fleetguard : LF16277
 Donaldson : P843033
 ODXH : $\Phi 140 \times 226$
 ID : $\Phi 17$
 Application : HINO



TMY-LC-1102
 Perkins : 2996416
 Iveco : 500054654
 504213800
 ODXH : $\Phi 113 \times 323$
 Application : IVECO



TMY-LC-1101
 Yanmar : 148616-35522
 Donaldson : P502358
 ODXH : $\Phi 117 \times 219$
 ID : $\Phi 48/15$
 Application : YANMAR



TMY-LC-1303
 Isuzu : 1-13240224-0
 1-13240205-0
 1-13240207-0
 Fleetguard : LF16275
 Donaldson : P502501
 ODXH : $\Phi 130 \times 184$
 ID : $\Phi 17$
 Application : ISUZU



TMY-LC-1204
 John Deere : RE509672
 Fleetguard : LF16043
 Donaldson : P550938
 ODXH : $\Phi 120 \times 146$
 ID : $\Phi 56$
 Application : JOHN DEERE



TMY-LC-1201
 MAN : 51055040069
 Benz : A0021847725
 MANN : H12110/2X
 ODXH : $\Phi 120 \times 269$
 ID : $\Phi 56/14$
 Application : MAN,
 Mercedes benz



TMY-LS-0929
 CAT : 8N-9586 1R-0713
 PERKINS : 25011153
 ODXH : $\Phi 97 \times 133$
 Thread : 1 1/8-16 UN
 Application : CAT



TMY-LS-1001
 CAT : 1R-0714
 ODXH : $\Phi 107 \times 180$
 Thread : 1 1/8-16 UN
 Application : CAT

**TMY-LS-1002**

CAT : 1R-0739 1R-1807
ODXH : Φ 108*264
Thread : 1 1/8-16 UN-2B
Application : CAT

**TMY-LS-1003**

CAT : 5I-7950 5I-7950X
ODXH : Φ 108*220
Thread : M32 X 1.5
Application : CAT

**TMY-LS-1103**

John Deere : RE44647
Fleetguard : LF3000
ODXH : Φ 118*302
Thread : 2 1/4-12 UNS-2B
Application : Cummins,
JOHN DEERE,
CASE

**TMY-LS-1104**

Komatsu : 6742-01-4120
Fleetguard : LF3548
ODXH : Φ 119*237
Thread : 2 1/4-12 UNS-2B
Application : Cummins,
KOMATSU

**TMY-LS-0902**

CAT : 7W-2326
MAN : 86.77903-0378
Fleetguard : LF699
Mann : W950/7
DONALDSON : P554407
P550299
ODXH : Φ 93*177
Thread : 3/4-16 UNF
Application : CAT

**TMY-LS-0903**

Perkins : 2654407
Nissan : 15209-T9005
JCB : 02/100073
VOLVO : 3976603-6
ODXH : Φ 93*177
Thread : 3/4-16 UNF
Application : CAT

**TMY-LS-1105**

Komatsu : 600-212-1510
John Deere : RE21748
Fleetguard : LF777 LF3542
LF3326
Donaldson : P550777
P550425
ODXH : Φ 118*260
Thread : 1 3/8-16
Application : Cummins, Komatsu,
John Deere

**TMY-LS-1005**

Renault : 5000133555
Fleetguard : LF667
Donaldson : P554004
ODXH : Φ 108*264
Thread : 1 1/8-16 UN-2B
Application : Cummins, Renault

**TMY-LS-1308**

CAT : 1R-0716 1R-1808
ODXH : Φ 136*305
Thread : 1 1/2-16
Application : CAT

**TMY-LS-1301**

MANN : WD13145/1
Fleetguard : LF691A
ODXH : Φ 136*302
Thread : 1 1/2-16 UN
Application : Cummins

**TMY-LS-0905**

Dachai : JX0810B WB202
ODXH : Φ 93*135
Thread : M20 x 1.5
Application : DACHAI 叉车

**TMY-LS-1006**

Dachai : JX1008L
ODXH : Φ 108*108
Thread : M22 x 1.5
Application : DACHAI 叉车

**TMY-LS-1101**

Hitachi : 4920071
Fleetguard : LF9050
ODXH : Φ 119*298
Thread : M90 X 2-7H INT
Application : Cummins

**TMY-LS-0904**

Hitachi : 4897898
DAF : 1399494
Iveco : 2992242
Fleetguard : LF16015
Donaldson : P550520
ODXH : Φ 93*176
Thread : M27 X 26H INT
Application : Cummins, DAF,
Hitachi

**TMY-LS-1302**

DAF : 1327672 1310901
MANN-FILTER : W 13 145/6
DONALDSON : P550452
FLEETGUARD : LF3737
ODXH : Φ 136*308
Thread : M42 x 2
Application : DAF

**TMY-LS-0906**

Deutz : 01174421
01171486
ODXH : Φ 93*210
Thread : 1"-12 UN
Application : DEUTZ

**TMY-LS-1120**

Doosan : 65.05510-5026B
Mitsubishi : 37438-02700
MANN : W1294
Fleetguard : LF747 LF3453
LF3325 LF9333
ODXH : Φ 118*285
Thread : 1 1/2"-12
Application : Cummins, Doosan

**TMY-LS-1102**

Hyundai : 11NA-70110
Fleetguard : LF9009 LF9548
ODXH : Φ 118*290
Thread : 2 1/4-12 UNS-2B
Application : Cummins, Hyundai

**TMY-LS-0934**

Iveco : 190 2136
DEUTZ : 117 3482
RENAULT : 5 001 846 638
MAN : 81.055.016.007
MANN : W950
KOMATSU : 600-211-5213
ODXH : Φ 93*181
Thread : 1"-12 UN
Application : DEUTZ

**TMY-LS-1007**

Deutz : 01174420
Weichai : 610800070015
Scania : 1117285
ODXH : Φ 108*260
Thread : 1 1/8-16 U
Application : DEUTZ, SCANIA,
WEICHAI



TMY-LS-1106
 Doosan : 65.05510-5017
 65.05510-5020B
 65.05510-5020A
 Fleetguard : LF670 LF3716
 ODXH : Φ 118*249
 Thread : 1 1/2-12 UNS-2B
 Application : Doosan



TMY-LS-1107
 Doosan : 65.05510-5016
 66.88510-5007S
 65.05510-5022A
 65.05510-5022B
 Fleetguard : LF3715 LF734
 ODXH : Φ 118*205
 Thread : 1 1/2-12 UNS-2B
 Application : Doosan



TMY-LS-0908
 Hitachi : 55175910 52305910
 Donaldson : P816773
 ODXH : Φ 93*100
 Thread : 1"-12 UN
 Application : HITACHI



TMY-LS-0909
 Hitachi : 55305910
 ODXH : Φ 93*175
 Thread : 1"-12 UN
 Application : HITACHI



TMY-LS-1108
 Perkins : 2882673
 Fleetguard : LF9000
 ODXH : Φ 118*360
 Thread : M95 x 2.5
 Application : FLEETGUARD



TMY-LS-1008
 Fleetguard : LF3321
 Donaldson : P551807
 ODXH : Φ 108*260
 Thread : 1 1/8-16 UN
 Application : FLEETGUARD



TMY-LS-1111
 HINO : 15607-1381
 ISUZU : 1-13240-046-0
 1-13240-062-1
 Fleetguard : LF3626 LF3665
 ODXH : Φ 119*200
 Thread : 1 1/2-12 UNF
 Application : HITACHI



TMY-LS-0933
 Hitachi : 4650205
 Sany : A222100000569
 Isuzu : 8-97049708-0
 ODXH : Φ 90*100
 Thread : M20 x 1.5
 Application : HITACHI



TMY-LS-0907
 Ford : 1136568 EFL386
 ODXH : Φ 93*95
 Thread : M22 x 1.5
 Application : FORD



TMY-LS-1009
 Hino : 15607-1733
 15607-2050
 Isuzu : 1-86750002-0
 Fleetguard : LF3618
 Donaldson : P552050
 ODXH : Φ 108*200
 Thread : 1 1/2"-16 UN
 Application : HINO



TMY-LS-1112
 Hitachi : 4331005
 Hyundai : 11NB-70110
 Fleetguarr : LF9001 LF9080
 DONALDSON : P559000
 P550949
 P551019
 ODXH : Φ 118*300
 Thread : M95 x 2.5
 Application : Hitachi,Hyundai,
 Cummins



TMY-LS-1303
 Hyundai : 26312-83C10
 ODXH : Φ 136*255
 Thread : M45 x 2
 Application : HYUNDAI



TMY-LS-1109
 Hino : 15607-2190
 15209-Z5001
 VH15613E0120
 Fleetguard : LF16226
 Donaldson : P502364
 ODXH : Φ 118*200
 Thread : 1 1/2"-16 UN
 Application : HINO



TMY-LS-1004
 Hino : 15208-Z9007
 15208-Z9003
 Fleetguard : LF3436
 ODXH : Φ 109*212
 Thread : 1 1/8-16UNF
 Application : HINO



TMY-LS-1201
 Isuzu : 8-97148270-0
 8-97371334-0
 Fleetguard : LF3854
 ODXH : Φ 123*121
 Thread : 1 1/2-12 UNF
 Application : ISUZU



TMY-LS-0910
 Isuzu : 1012020-P301
 ODXH : Φ 90*100
 Thread : M20 X 1.5
 Application : ISUZU



TMY-LS-1119
 Hino : 15607-1590
 15607-1671
 ODXH : Φ 110*160
 Thread : 1 1/2-12UNF
 Application : HINO



TMY-LS-1110
 Hitachi : 4448336 4484495
 4622562 4658521
 4696643
 Fleetguard : LF9008
 Donaldson : P550596
 ODXH : Φ 118*205
 Thread : 1 1/2-12 UN
 Application : HITACHI



TMY-LS-1011
 Iveco : 1907584 1903629
 5001846646
 Fleetguard : LF3594
 Donaldson : P550342
 ODXH : Φ 109*230
 Thread : M30 X 2
 Application : IVECO



TMY-LS-1113
 Iveco : 2992544 504026056
 RENAULT : 5001858099
 Fleetguard : LF3977
 Donaldson : P550639
 ODXH : Φ 113*227
 Thread : M30 X 2
 Application : IVECO



TMY-LS-1012

Iveco : 2994057
Mann : WP1144
Fleetguard : LF3481
Donaldson : P550226
ODXH : Φ 109*146
Thread : 3/4"-16 UNF
Application : IVECO



TMY-LS-1304

Iveco : 5801649910
Donaldson : P550148
ODXH : Φ 130*174
Thread : 1 1/2"-16 UN
Application : IVECO



TMY-LS-1202

John Deere : AR43634
AR101728
AR43261
Fleetguard : LF680
Donaldson : P553634
ODXH : Φ 127*174
Thread : 1 1/2"-16 UN
Application : John Deere,
Cummins



TMY-LS-1115

Komatsu : 600-211-1231
600-211-1290
ODXH : Φ 117*285
Thread : 1 1/2"-12
Application : KOMATSU



TMY-LS-0911

MANN : W962 JX0818
Volvo : 3831236
Fleetguard : LF4054
ODXH : Φ 93*210
Thread : 1"-12 UN
Application : IVECO, Benz



TMY-LS-0912

JCB : 320/04133
MANN : W950/38
Fleetguard : LF17556
Donaldson : P502465
ODXH : Φ 93*165
Thread : M22 x 1.5
Application : JCB



TMY-LS-0701

Komatsu : 600-211-2111
Fleetguard : LF16011
Donaldson : P550589
ODXH : Φ 76*80
Thread : 3/4"-16 UNF
Application : KOMATSU



TMY-LS-1013

Komatsu : 600-311-3320
ODXH : Φ 108*260
Thread : 1 1/4"-12
Application : KOMATSU



TMY-LS-0704

JCB : 02/630935A
ODXH : Φ 74*86
Thread : 3/4"-16
Application : JCB



TMY-LS-0913

John Deere : RE519626
RE518977
Fleetguard : LF16173
Donaldson : P550758
ODXH : Φ 93*136
Thread : M24 x 1.5
Application : JOHN DEERE



TMY-LS-1014

Komatsu : 6136-51-5120
FLEETGUARD : LF3664
Donaldson : P550086
ODXH : Φ 107*210
Thread : 1"-1/8x16
Application : KOMATSU



TMY-LS-1015

Komatsu : 6136-51-5121
ODXH : Φ 107*169
Thread : 1"-1/8x16
Application : KOMATSU



TMY-LS-1114

John Deere : RE530107
Fleetguard : LF9032
Donaldson : P550595
ODXH : Φ 118*297
Thread : M52 X 1.5-6H INT
Application : JOHN DEERE



TMY-LS-0914

John Deere : RE59754
Fleetguard : LF3703
Donaldson : P551352
ODXH : Φ 94*146
Thread : 1 1/2"-16 UN-2B
Application : JOHN DEERE



TMY-LS-0930

Komatsu : 600-211-6242
Fleetguard : LF3415
Donaldson : P550719
ODXH : Φ 93*114
Thread : 1"-12 UN
Application : KOMATSU



TMY-LS-1116

Komatsu : 600-211-1340
Hyundai : 11NB-70110
Fleetguard : LF9018
ODXH : Φ 118*330
Thread : M95 x 2.5
Application : KOMATSU



TMY-LS-0915

John Deere : T19044
Fleetguard : LF678
ODXH : Φ 94*138
Thread : 13/16-16 UNS-2B
Application : JOHN DEERE



TMY-LS-1121

John Deere : RE58935
Fleetguard : LF9010
Donaldson : P550595
ODXH : Φ 119*294
Thread : M52 X 1.5-6H INT
Application : JOHN DEERE



TMY-LS-0916

Hyundai : 11E1-70110
11N4-70110
Fleetguard : LF3345
Donaldson : P558616
ODXH : Φ 94*138
Thread : 1"-16 UN-2B
Application : KOMATSU, Hyundai



TMY-LS-0801

Kubota : HH160-32093
ODXH : Φ 81*86
Thread : M20 x 1.5
Application : KUBOTA



TMY-LS-0918
 Kubota : HH164-32430
 15521-32430
 ODXH : $\Phi 93 \times 85$
 Thread : 3/4"-16
 Application : KUBOTA



TMY-LS-0932
 Kubota : HH151-32430
 ODXH : $\Phi 95 \times 131$
 Thread : 3/4"-16 UNF
 Application : KUBOTA



TMY-LS-1020
 Mitsubishi : 32540-11600
 32540-21600
 ODXH : $\Phi 107 \times 169$
 Thread : 1"-1/8x16
 Application : MITSUBISHI



TMY-LS-1305
 MTU : 0031845301
 MANN : WD13145/4
 ODXH : $\Phi 136 \times 303$
 Thread : 1 1/2-16
 Application : MTU



TMY-LS-0917
 Lister : 751-10620
 ODXH : $\Phi 94 \times 65$
 Thread : 3/4"-16 UNF
 Application : Lister



TMY-LS-1016
 Mack : 485GB3191B
 485GB3191
 485GB4348
 ODXH : $\Phi 108 \times 264$
 Thread : 1 1/8-16 UN-2B
 Application : MACK



TMY-LS-0702
 BOSCH : 140517050
 Fleetguard : LF3874
 ODXH : $\Phi 74 \times 84$
 Thread : 3/4"-16 UNF
 Application : Perkins



TMY-LS-1021
 Perkins : SE111B
 Iveco : 1901604
 Fleetguard : LF3346
 Donaldson : P551604
 ODXH : $\Phi 108 \times 232$
 Thread : 1-12 UN
 Application : PERKINS



TMY-LS-1017
 Mitsubishi : 37540-11100
 ODXH : $\Phi 108 \times 262$
 Thread : 1 1/2"-12
 Application : MITSUBISHI



TMY-LS-1018
 Mitsubishi : ME013343
 ME088532
 ME013307
 Hino : 15607-1330
 ODXH : $\Phi 107 \times 150$
 Thread : M26x1.5
 Application : MITSUBISHI



TMY-LS-1306
 Perkins : 26540244
 Fleetguard : LF3883 LF3640
 Donaldson : P550367
 ODXH : $\Phi 135 \times 307$
 Thread : M36 x 1.5
 Application : PERKINS



TMY-LS-1022
 Perkins : CV2473
 DAF : 1355179
 ODXH : $\Phi 107 \times 180$
 Thread : M30 x 1.5
 Application : PERKINS



TMY-LS-1203
 Mitsubishi : ME074013
 ME130968
 ME794345
 Nissan : 15201-Z9009
 15201-Z9013
 Fleetguard : LF3586
 Donaldson : P552562
 ODXH : $\Phi 128 \times 220$
 Thread : M36 x 1.5
 Application : MITSUBISHI



TMY-LS-1019
 Mitsubishi : ME084530
 ME088519
 Hitachi : 4429728
 ODXH : $\Phi 107 \times 147$
 Thread : 1"-1/8x16
 Application : MITSUBISHI



TMY-LS-1307
 Perkins : 4587260
 ODXH : $\Phi 136 \times 305$
 Thread : 1 1/2-16
 Application : Perkins



TMY-LS-0919
 Perkins : 2654A111
 Fleetguard : LF17475
 Donaldson : P550920
 ODXH : $\Phi 93 \times 210$
 Thread : M 24 X 1.5
 Application : PERKINS



TMY-LS-1204
 Mitsubishi : 35A40-01800
 ODXH : $\Phi 125 \times 171$
 Thread : 1 3/8"X16
 Application : MITSUBISHI



TMY-LS-1117
 Mitsubishi : 37540-02100
 John deere : RE42051
 ODXH : $\Phi 116 \times 249$
 Thread : 1 3/8-16 UNS-2B
 Application : MITSUBISHI



TMY-LS-0931
 Perkins : 2654403
 AGCO : 1447048M2
 Fleetguard : LF701
 Donaldson : P554403
 ODXH : $\Phi 93 \times 139$
 Thread : 3/4"-16 UNF
 Application : PERKINS,CAT



TMY-LS-1118
 Perkins : 25014505
 23518480
 Fleetguard : LF3620
 Donaldson : P552100
 ODXH : $\Phi 118 \times 250$
 Thread : 1 5/8-12
 Application : POWERGUARD



TMY-LS-0920

Thermo King : 11-9182
 Fleetguard : LF9030
 Donaldson : P550835
 ODXH : $\Phi 93 \times 174$
 Thread : 1 1/8-12 UN
 Application : Refrigeration Units



TMY-LS-0921

Thermo King : 11-7382
 ODXH : $\Phi 94 \times 181$
 Thread : M26 \times 1.5
 Application : Refrigeration Units



TMY-LS-1025

Volvo : 21707133 478736
 Renault : 5001846641
 ODXH : $\Phi 108 \times 260$
 Thread : 1 1/8-16 UN
 Application : VOLVO



TMY-LS-0926

Volvo : 22030852
 MANN : WP962/5
 ODXH : $\Phi 94 \times 213$
 Thread : 3/4"-16 UNF
 Application : VOLVO



TMY-LS-1023

Renault : 7421700201
 5001846642
 7421561278
 5000670700
 SCANIA : 2059778
 MANN : W11102/34
 Fleetguard : LF3675
 Donaldson : P553191
 ODXH : $\Phi 108 \times 262$
 Thread : 1 1/8-16 UN
 Application : RENAULT



TMY-LS-0901

Renault : 5001846546
 Fleetguard : CS41000
 Donaldson : P550286
 ODXH : $\Phi 98 \times 119$
 Thread ID : $\Phi 14$
 Application : RENAULT



TMY-LS-0703

VW : 06H115561 PSL557
 MANN : W719/45
 ODXH : $\Phi 78 \times 120$
 Thread : 3/4"-16 UNF
 Application : VW



TMY-LS-0927

VW : 028 115 561 E
 Mahle : OC257
 Mann : W940/44
 ODXH : $\Phi 93 \times 132$
 Thread : 3/4"-16 UNF
 Application : VW



TMY-LS-1010

Renault : 7421561284
 7420541379
 VOLVO : 477556-5 21707132
 MANN : WP11102/3
 Fleetguard : LF3654
 Donaldson : P550425
 ODXH : $\Phi 109 \times 263$
 Thread: 1 3/8-16 UN
 Application : RENAULT,VOLVO



TMY-LS-0922

Isuzu : 8-97049-708-1
 8-94360-426-0
 ODXH : $\Phi 93 \times 122$
 Thread : M20 \times 1.5
 Application : TCM



TMY-LS-0928

Weichai : 61000070005
 ODXH : $\Phi 93 \times 210$
 Thread : 1"-12 UN
 Application : Weichai,HOWO



TMY-LS-0601

Yanmar : 129150-35151
 ODXH : $\Phi 68 \times 85$
 Thread : M20 \times 1.5
 Application : YANMAR



TMY-LS-0923

Deutz : 01174418
 117 3481
 Weichai : 6003001068004
 Komatsu : 600-211-6230
 ODXH : $\Phi 94 \times 142$
 Thread : 1-12 UNF-2B
 Application : VOLVO



TMY-LS-0924

HYUNDAI : 11E1-70120
 KOMATSU : 6736-51-5141
 6736-51-5142
 CASE : 84476054 86597476
 FLEETGUARD : LF3349 LF3806
 LF3552 LF16006
 LF3713 LF3959
 DONALDSON : P172562 P558615
 P551018 P502907
 P550909
 MANN-FILTER : W950/16 W950/18
 HITACHI : 4429728
 ODXH : $\Phi 93 \times 174$
 Thread : 1-16 UN
 Application : VOLVO



TMY-LS-0802

Yanmar : 119005-35151
 Fleetguard : LF3812
 Donaldson : P502438
 ODXH : $\Phi 84 \times 100$
 Thread : M20 \times 1.5
 Application : YANMAR



TMY-LS-1122

Yuchai:M3000-1012240A
 JX1013
 ODXH : $\Phi 110 \times 150$
 Thread : 1 1/8-16
 Application : YUCHAI



TMY-LS-0925

Volvo : 22030848
 CAT : 395-1815 452-2179
 MANN : W962/53
 ODXH : $\Phi 93 \times 210$
 Thread : 1-12 UNF- 2B
 Application : VOLVO



TMY-LS-1024

Volvo : 21707134 466634
 Fleetguard : LF3730
 Donaldson : P550490
 ODXH : $\Phi 108 \times 260$
 Thread : 1 1/8-16 U
 Application : VOLVO



TMY-W-0901

CAT : 9N-6123
 HYUNDAI : 11NA-70210
 Perkins : 26550001
 Fleetguard : WF2053 WF2070
 WF2088 WF2072
 WF2051 WF2074
 WF2144 WF2067
 WF2089 WF2075
 WF2121 WF2104
 Donaldson : P554073
 ODXH : $\Phi 94 \times 137$
 Thread : 11/16-16 UN-2B
 Application : Cummins



TMY-W-0902

Fleetguard : WF2054
 ODXH : $\Phi 94 \times 160$
 Thread : 11/16-16 UN-2B
 Application : Cummins



TMY-W-0903

Fleetguard : WF2071 WF2051
WF2073
Hitachi : 4058964
John Deere : A77544 RE42052
ODXH : Φ94*107
Thread : 11/16-16 UN
Application : Cummins



TMY-W-0904

Fleetguard : WF2055 WF2076
WF2056
Komatsu : 600-411-1420
600-411-1040
CAT : 9N-3367 1W-5518
Donaldson : P552055
ODXH : Φ93*190
Thread : 11/16-16 UN
Application : KOMATSU



TMY-W-0906

Volvo : 20532237 21192875
1661964
Fleetguard : WF2096
Donaldson : P552096
ODXH : Φ97*147
Thread : M16 x 1.5
Application : VOLVO



TMY-W-0907

CASE : 324618A1
Fleetguard : WF2126
WF2165
WF2125
Hitachi : 4907485
ODXH : Φ93*147
Thread : M36 x 2
Application : VOLVO,
Cummins

► AIR FILTER

Air filters remove dust, dirt and soot particles from the intake air, reducing engine wear and preventing impairment of sensitive electronic components. They contain state-of-the-art filter media which are specially impregnated so as to resist heat and humidity. It is requested to replace every 10000km.



TMY-AS-1305

MANN : TB1364X
DAF : 1391510
ODXH : Φ 136*165
Thread : M41 X 1.5
Application : DAF



TMY-AS-1901

Mitsubishi : ME709603
Ford : 107796PG
ODXH : Φ 195*317
Thread : 5/8-11
Application : MITSUBISHI MACK



TMY-A-2500

Donaldson : H001251
7041395 9968432 70655289
OD : Φ 63
Application : Wheel Loader



TMY-A-3000

Donaldson : H001249
Komatsu : 52137 848101096
OD : Φ 78
Application : Doosan DH R55/60



TMY-AS-1306

RENAULT : 5001843522
MANN : TB1374/3X
PERKINS : 2992261
ODXH : Φ 136*165
Thread : G1 1/4"-11
Application : RENAULT



TMY-AS-0801

Volvo : 8152009
Fleetguard : AF4895
Donaldson : P528708
ODXH : Φ 85*92
Thread ID : Φ 25
Application : VOLVO



TMY-A-4000

Donaldson : H000858
ZZPBH000858
OD : Φ 102
Application : Hyundai R210/220-5



TMY-A-5000

Hyundai : 47017310
Donaldson : H002043
NEW HOLLAND: 1849297
151849297
707024656
61560190016
OD : Φ 127
Application : Hyundai R215/225-7



TMY-AS-0802

Volvo : 8152010
Fleetguard : AF4966
Donaldson : P500235
ODXH : Φ 85*113
Thread ID : Φ 25
Application : VOLVO



TMY-AS-1301

VOLVO : 21412848
DFG : 22223804
ODXH : Φ 139*165
Thread : M39 X 1.5
Application : VOLVO



TMY-A-6000

Donaldson : H002223
Komatsu : 21N-013-1330
41K-131-1110
OD : Φ 152
Application : Komatsu PC300-7



TMY-A-7000

Donaldson : H002224
CAT : 4W7263
HYSTER : 1456342
JOHN DEERE : TT290145
TEREX : 4203955 15311498
D6350533
OD : Φ 178
Application : Kobelco SK350-8



TMY-AS-1501

Volvo : 20424148 20773824
SCANIA : 139 3551
RENAULT : 5001826800
ODXH : Φ 152*162
Thread ID : Φ 12
Application : VOLVO



TMY-AS-1302

VOLVO : 21620181
WABCO : 4329012232
IVECO : 5001865037
Renault : 81521086025
MANN : TB1396x
ODXH : Φ 136*160
Thread : M39 X 1.5
Application : VOLVO,IVECO,
RENAULT



TMY-A-0501

Kobelco : YN57V00004S002
Bosch : 14596399
Komatsu : 207-60-51310
Fleetguard : AF26675
Donaldson : P502563
ODXH : Φ 52*37.5
ID : Φ 31
Application : Kobelco



TMY-A-1301

CAT : 4N-0015
Fleetguard : AF1869
Donaldson : P150135
LXWXH : 138*134*81
Application : CAT



TMY-AS-1304

WABCO : 4329012452
MAN : 5001865404
VOLVO : 21267818
MANN : TB1394/5X
ODXH : Φ 136*165
Thread : M39 X 1.5LH
Application : VOLVO,
MERCEDES BENZ,
MAN



TMY-AS-1303

WABCO : 432 410 02 02
432 410 22 92
MANN : TB1374X
ODXH : Φ 139*165
Thread : M39 x 1.5R
Application : WABCO























TMY-A-2101

CAT : 447-0761 457-8206
ODXH : Φ 215*415
ID : Φ 120
Application : CAT



TMY-A-3001

CAT : 346-6687 346-6688
ID : Φ 305*156*203
Application : CAT

 <p>TMY-A-1302 CAT : 274-7913 ODXH : Φ130*207 ID : Φ160 Application : CAT</p>	 <p>TMY-A-3701 CAT : 269-7041 Donaldson : P609167 ODXH : Φ377*335 Application : CAT</p>	 <p>TMY-A-3301 Donaldson : P608676 P605538 JCB : 32/925752 Dimension : Φ331*200*281 Application : DONALDSON</p>	 <p>TMY-A-3101 Donaldson : P608675 MANN : C32340 CF30100 CNH : 87720898 Dimension : Φ319*121*282 Application : DONALDSON</p>
 <p>TMY-A-5501 CAT : 226-2779 ODXH : Φ554*225 Application : CAT</p>	 <p>TMY-A-5502 CAT : 208-9065 10000-12122 ODXH : Φ554*280 Application : CAT</p>	 <p>TMY-A-3401 Donaldson : P608666 Fleetguard : AF27876 Dimension : Φ340*204*186 Application : DONALDSON R210/220-5</p>	 <p>TMY-A-4201 CNH : 87727665 Donaldson : P631391 ODXH : Φ421*353 Application : DONALDSON</p>
 <p>TMY-A-2601 CAT : 177-7375 John Deere : RE530205 ODXH : Φ263*189 ID : Φ223 Application : CAT</p>	 <p>TMY-A-3801 Doosan : P608667 P601560 CAT : 290-1935 Dimension : Φ383*254*235 Application : CAT</p>	 <p>TMY-A-4001 CNH : 87443714 Donaldson : P631511 ODXH : Φ409*41 Application : DONALDSON</p>	 <p>TMY-A-2301 Donaldson : P610875 25839611 25815550 ODXH : Φ236*160 Thread ID : Φ16 Application : DONALDSON</p>
 <p>TMY-A-2001 CAT : 227-7449 JCB : 32/926072 Fleetguard : AF26248 Donaldson : P785965 Dimension : Φ208*141*44 Application : CAT</p>	 <p>TMY-A-2701 CAT : 252-5001 252-5002 Fleetguard : AF1010 Dimension : Φ270/230*197 Application : CAT</p>	 <p>TMY-A-0701 DONGFENG : 0708 Sakura : A-8511 ODXH : Φ73*84 Thread ID : Φ35 Application : DONGFENG</p>	 <p>TMY-A-2102 FAW : KW2140C1 K19900C1 K19950C1 ODXH : Φ212*434 Thread ID : Φ125 Application : FAW</p>
 <p>TMY-A-2202 CAT : 227-7448 MANN : CP23210 CF2135 Fleetguard : AF26247 Donaldson : P608766 Dimension : Φ223*157*172 Application : CAT</p>	 <p>TMY-A-2602 John Deere : RE196945 RE181915 Donaldson : P619334 P547520 ODXH : Φ262*230 Application : DONALDSON</p>	 <p>TMY-A-2401 FAW : K2448C2 K20900C2 K20950C2 KW2448C2 ODXH : Φ240*510 Application : FAW</p>	 <p>TMY-A-3402 FAW : 1109070-Q851 K3544 ODXH : Φ340*440 Application : FAW</p>



TMY-A-2501
 Fleetguard : AF26557 AF26558
 Dimention : Φ 250*160*405
 Application : FLEETGUARD



TMY-A-1401
 Perkins : 135326206
 26510362
 624-50610
 Fleetguard : AF27867
 ODXH : Φ 147*321
 ID : Φ 76
 Application : PERKINS



TMY-A-0502
 Kubota : YD00000374
 T0270-93220
 ODXH : Φ 58*237
 Application : KUBOTA



TMY-A-1502
 Kubota : 15741-11083
 3EB01-25830
 ODXH : Φ 150/104*264
 ID : Φ 63
 Application : KUBOTA



TMY-A-3002
 MANN : C271050
 FAW : 110907050A
 Fleetguard : AF26569
 ODXH : Φ 300*446
 ID : Φ 200
 Application : howo



TMY-A-2502
 John deere : RE253518
 Fleetguard : AF26656
 Donaldson : P608533
 P600975
 Dimention : Φ 250*148*181
 Application : JOHN DEERE



TMY-A-1202
 BENZ : 0040940405
 2914930200
 BOSCH : 1457433557
 MANN : C14200
 ODXH : Φ 124*319
 ID : Φ 77
 Application : MAN



TMY-A-3103
 MTU : 180945802
 5360900001
 MANN : C311195/1
 DONALDSON : ECB120472
 ODXH : Φ 318*444
 ID : Φ 198
 Application : MTU



TMY-A-4401
 John Deere : RE230985
 Dimention : Φ 441*253*32
 Application : JOHN DEERE



TMY-A-2901
 John Deere : AL150288
 Fleetguard : AF26155
 Donaldson : P606121
 Dimention : Φ 298*60*109
 Application : JOHN DEERE



TMY-A-1001
 CAT : 942-073
 Perkins : 135326205
 Donaldson : P505976
 ODXH : Φ 103*272
 ID : Φ 62
 Application : PERKINS



TMY-A-3003
 Terex : 15270794
 LXWXH : 300*250*25
 Application : Terex



TMY-A-3102
 Kobelco : P-CE05-576
 Kaishang : 537702332510
 Donaldson : P612755
 ODXH : Φ 310*180
 Application : KOBELCO



TMY-A-1901
 Kobelco : PS-CE03-511
 ODXH : Φ 195*406
 ID : Φ 110
 Application : KOBELCO



TMY-A-2603
 Volvo : 3181986
 Donaldson : P951742
 Dimention : Φ 262*235*282
 Application : VOLVO



TMY-A-2801
 Volvo : 21431831 21431840
 ODXH : Φ 285*575
 ID : Φ 191
 Application : VOLVO



TMY-A-1701
 Kobelco : 11969204001
 PH1P00011S005
 ODXH : Φ 173*255
 ID : Φ 127
 Application : KOBELCO



TMY-A-0801
 Kubota : 6C060-99410
 6A100-82632
 ODXH : Φ 89*180
 ID : Φ 43
 Application : KUBOTA



TMY-A-2604
 Weichai : YK2640 YK2642
 ODXH : Φ 260*420
 ID : Φ 170
 Application : WEICHAI



TMY-A-2201
 Weichai : 13065627
 ODXH : Φ 220*414
 ID : Φ 125
 Application : WEICHAI



TMY-A-3004
 Fleetguard: AF26433
 Ag26434
 ODXH : Φ 300*512
 ID : Φ 192
 Application : FAW



TMY-A-2702
 Fleetguard : AF26431
 AG26432
 ODXH : Φ 270*512
 ID : Φ 192
 Application : FAW



TMY-C-3101
 CAT : 7X-6041
 LXWXH : 311*243*62
 Application : CAT



TMY-C-5301
 CAT : 6T-0988
 Fleetguard : AF26181
 Donaldson : P535243
 LXWXH : 539*150*68
 Application : CAT



TMY-A-1902
 Weichai : YK2036U1
 Yuchai : B7617-1109101-937
 ODXH : Φ 195*365
 ID : Φ 105
 Application : WEICHAH,YUCHAI



TMY-A-3201
 John Deere : AL119839 AL172780
 Fleetguard : AF26157
 Donaldson : P606119
 ODXH : Φ 320*187
 ID : Φ 124
 Application : DONALDSON



TMY-C-6001
 CAT : 4I-1278 305-0329
 293-1183
 Donaldson : P781176
 LXWXH : 600*124*27
 Application : CAT



TMY-C-3901
 CAT : 211-2660
 LXWXH : 397*163*38
 Application : CAT



TMY-A-2203
 AF25962 AF25963
 ODXH : Φ 220*414
 ID : Φ 125
 Application : Cummins



TMY-A-2204
 AF26531 AF26532
 ODXH : Φ 220*374
 ID : Φ 125
 Application : Cummins



TMY-C-5302
 CAT : 119-3355 268-6704
 Donaldson : P618642
 LXWXH : 533*263*83
 Application : CAT



TMY-C-3601
 CAT : 259-3222
 LXWXH : 365*154*58
 Application : CAT



TMY-A-1801
 Weichai : 13022638
 13021376
 ODXH : Φ 180*142
 ID : Φ 135
 Application : WEICHAH



TMY-A-1903
 Weichai : 13065278
 ODXH : Φ 193*406
 ID : Φ 103
 Application : WEICHAH



TMY-C-3001
 Doosan : 471-00119
 LXWXH : 300*130*35
 Application : DOOSAN




TMY-C-2001
 Doosan : 2471-6050
 400402-00001
 LXWXH : 200*168*19
 Application : DOOSAN



TMY-A-1402
 Yanmar : 114210-12590
 Lawn-mower : 2739900
 Dimention : Φ 140*120*75
 Application : YANMAR



TMY-A-1201
 ATLAS : 880 211 99
 3222332081
 ODXH : Φ 120*600
 ID : Φ 74
 Application : TAMROCK



TMY-C-3401
 Hitachi : 4S00640 4350249
 John deere : AT213943
 LXWXH : 349*251*71
 Application : HITACHI



TMY-C-2801
 Hitachi : 4S00685 4643580
 Case : 534241-7600
 LXWXH : 280*160*45
 Application : HITACHI



TMY-C-2601

Hitachi : YA00001490
LXWXH : 265*243*42
Application : HITACHI



TMY-C-4401

Hitachi : 4S00687 4445864
LXWXH : 444*108*5
Application : HITACHI



TMY-C-5001

Iveco : 2995964 504024890
Fleetguard : AF26146
LXWXH : 504*206*25
Application : IVECO



TMY-C-4301

JCB : 331/25629 332/A9113
Fleetguard : AF55767
LXWXH : 433*73*48
Application : JCB



TMY-C-3102

Hitachi : 4632689 4S00686
YA00032683
LXWXH : 319*203*78
Application : HITACHI



TMY-C-2802

Hitachi : 4484453 4S00683
4500683
LXWXH : 288*169*36
Application : HITACHI



TMY-C-4101

John Deere : AH92463
LXWXH : 419*127*30
Application : JOHN DEERE



TMY-C-2301

Kato : 40330-60270
LXWXH : 235*216*50
Application : KATO



TMY-C-2101

Hitachi : 4455778 4S00688
LXWXH : 210*120*17
Application : HITACHI



TMY-C-2803

Hitachi : 4441139 4S00684
LXWXH : 288*166*9.5
Application : HITACHI



TMY-C-1902

Kobelco : LQ50V01009P1
51186-42290
LXWXH : 195*240*51
Application : KOBELCO



TMY-C-2402

Case : 51186-41870
Kobelco : YN50V01006P1
LXWXH : 243*219*50
Application : KOBELCO



TMY-C-2401

Hyundai : 11N6-90760
12E1-3500
11Q6-90610
LXWXH : 246*107*20
Application : HYUNDAI



TMY-C-2002

Hyundai : 11Q6-90510
LXWXH : 209*122*20
Application : HYUNDAI



TMY-C-4901

Kobelco : YN50V01014P1
Case : 51186-41970
LXWXH : 495*125*29.5
Application : KOBELCO



TMY-C-2102

Kobelco : YN50V01015P3
LQ50V01007P1
Hitachi : 47814788
Case : 51186-41990
LXWXH : 210*220*31
Application : KOBELCO



TMY-C-1901

Hyundai : 11N6-90770
LXWXH : 198*176*7.5
Application : HYUNDAI



TMY-C-2602

Iveco : 504209107 2996234
LXWXH : 262*140*27
Application : IVECO



TMY-C-3002

Komatsu : 20Y-979-3380
77Z-970-0020
Donaldson : P500203
LXWXH : 308*198*19
Application : KOMATSU



TMY-C-1903

Komatsu : 77Z-970-0010
14X-911-7741
Fleetguard : AF55734
Donaldson : P500204
LXWXH : 198*206*19
Application : KOMATSU




TMY-C-2603

Komatsu : 20Y-979-6261
600-181-9418
LXWXH : 263*143*19
Application : KOMATSU



TMY-C-2103

Komatsu : 22B-979-1740
LXWXH : 218*105*24
Application : KOMATSU



TMY-C-2303

CASE : 51186-41980
Sumitomo : KHR13340
LXWXH : 235*185*40
Application : SUMITOMO



TMY-C-2501

Case : 51186-41951
Sumitomo : KHR13330
LXWXH : 250*187*26
Application : SUMITOMO



TMY-C-4302

Komatsu : 22B-979-1730
LXWXH : 437*113*15
Application : KOMATSU



TMY-C-1904

Komatsu : 208-979-7740
209-979-7740
LXWXH : 198*102*19
Application : KOMATSU



TMY-C-4201

Volvo : 14506997
Fleetguard : AF26668
LXWXH : 420*305*30
Application : VOLVO



TMY-C-3201

Volvo : 14503269
Fleetguard : AF26660
LXWXH : 325*285*62
Application : VOLVO



TMY-C-2604

Komatsu : 208-979-7620
CAT : 293-1137
Fleetguard : AF55749
LXWXH : 262*222*24.5
Application : KOMATSU



TMY-C-2302

Komatsu : 208-979-6260
LXWXH : 231*232*40
Application : KOMATSU




TMY-C-5002

Volvo : 11703980
Fleetguard : AF26384
Donaldson : P500195
LXWXH : 508*286*62
Application : VOLVO



TMY-C-4303

Volvo : 11703979
Fleetguard : AF26267
Donaldson : P500194
LXWXH : 435*122*45
Application : VOLVO



TMY-C-1905

Komatsu : 203-979-6840
LXWXH : 197*232*24
Application : KOMATSU



TMY-C-2202

Komatsu : 17M-911-3530
LXWXH : 225*166*51
Application : KOMATSU



TMY-C-3103

Kubota : V0521-3291
T1855-71600
LXWXH : 310*120*42
Application : KUBOTA



TMY-C-3701

Scania : 1913500
Fleetguard : AF24692
LXWXH : 375*133*20
Application : SCANIA

► FILTER ASSEMBLY

HYDRAULIC FILTER ASSEMBLY

OIL FILTER ASSEMBLY

FUEL FILTER ASSEMBLY

FUEL WATER SEPARATOR ASSEMBLY



 <p>TMY-FA-001 WABCO : 432 410 10 20 THREAD IN/OUT : M16X1.5 Application : TRUCKS</p>	 <p>TMY-FA-076 Baldwin : 65-W30 Application : Baldwin</p>
 <p>TMY-FA-077 Baldwin : 150-W30 Application : Baldwin</p>	 <p>TMY-FA-078 Baldwin : 300-W30 Application : Baldwin</p>
 <p>TMY-FA-050 RACOR : FH1000 BALDWIN : DAHL200 200-W30 THREAD IN/OUT : 7/8"-14 Application : Baldwin</p>	 <p>TMY-FA-067 DOOSAN : 2471-1153 Application : DOOSAN DH220-5</p>
 <p>TMY-FA-068 DOOSAN : 2471-1154 Application : DOOSAN DH300</p>	 <p>TMY-FA-070 HITACHI : 4294135 HYUNDAI : 31E3-0017 Application : HITACHI, HYUNDAI</p>
 <p>TMY-FA-069 HITACHI : 4294130 Application : Hitachi, KOBELCO</p>	 <p>TMY-FA-059 HITACHI : 4452913 THREAD IN/OUT : M14X1.5 Application : HITACHI</p>

 <p>TMY-FA-060 KOMATSU : 22U-04-21131 THREAD IN/OUT : M14X1.5 Application : KOMATSU</p>	 <p>TMY-FA-061 KOMATSU : 600-311-9732 Application : KOMATSU</p>
 <p>TMY-FA-062 KOMATSU : 600-311-9731 MITSUBISHI : ME039811 THREAD IN/OUT : M14X1.5 Application : KOMATSU, MITSUBISHI</p>	 <p>TMY-FA-058 MITSUBISHI : ME121650 Me121646 THREAD IN/OUT : Φ10 Application : MITSUBISHI</p>
 <p>TMY-FA-063 YANMAR : 119802-55710 THREAD IN/OUT : Φ8 Application : YANMAR</p>	 <p>TMY-FA-064 YANMAR : 129242-55730 Application : YANMAR</p>
 <p>TMY-FA-065 YANMAR : 129906-55700 Application : YANMAR</p>	 <p>TMY-FA-066 SUMITOMO : 2446F180F2 THREAD IN/OUT : Φ10 Application : SUMITOMO</p>
 <p>TMY-FA-074 Benz : 0000906050 0000900212 0000907350 Application : Mercedes-Benz</p>	 <p>TMY-FA-075 Benz : 51121500002 Application : Mercedes-Benz</p>



TMY-FA-004
BALDIN : BF7746-D
THREAD IN/OUT : $\Phi 9.5$
Application : CASE,
NEW HOLLAND



TMY-FA-002
CAT : 131-1812
THREAD IN/OUT : $\Phi 9.5$
Application : CAT



TMY-FA-012
JCB : 32/925765
Application : JCB



TMY-FA-013
JCB : 32/925994
32/925869
Application : JCB



TMY-FA-003
CAT : 117-4089
DONALDSON : P551430
THREAD IN/OUT : 3/8"BSP
Application : CAT



TMY-FA-005-1
CAT : 361-9554
THREAD IN/OUT : 1/2"-20
Application : CAT 感应线 手油泵



TMY-FA-014
JOHN DEERE : RE522878
Application : JOHN DEERE



TMY-FA-015
JOHN DEERE : RE529643
Application : JOHN DEERE



TMY-FA-005-2
CAT : 361-9554
THREAD IN/OUT : 1/2"-20
Application : CAT 感应线
电子泵 座



TMY-FA-005-3
CAT : 361-9554 3
THREAD IN/OUT : 1/2"-20
Application : CAT



TMY-FA-016
JOHN DEERE : RE67225
Application : JOHN DEERE



TMY-FA-007-1
PERKINS : 26560143
THREAD IN/OUT : 1/2"-20
Application : PERKINS



TMY-FA-006
CAT : 190-8970 190-8950
371-3599
Application : CAT



TMY-FA-009
JCB : 32/925765
THREAD IN/OUT : $\Phi 9.5$
Application : JCB



TMY-FA-007-2
PERKINS : 26560143
THREAD IN/OUT : 1/2"-20
Application : PERKINS
手油泵 水杯



TMY-FA-007-3
PERKINS : 26560143
THREAD IN/OUT : 1/2"-20
Application : PERKINS
电子泵 座 水杯



TMY-FA-010
JCB : 32/925694
THREAD IN/OUT : $\Phi 9.5$
Application : JCB



TMY-FA-011
JCB : 32/925760
Application : JCB



TMY-FA-008
PERKINS : 26560145
2656F810
THREAD IN/OUT : 1/2"-20
Application : PERKINS 座



TMY-FA-008-1
PERKINS : 26560145
2656F810
THREAD IN/OUT : 1/2"-20
Application : PERKINS 手油泵



TMY-FA-008-2
 PERKINS : 26560145
 2656F810
 THREAD IN/OUT : 1/2"-20
 Application : PERKINS
 电子泵 座 水杯



TMY-FA-008-3
 PERKINS : 26560145
 2656F810
 THREAD IN/OUT : 1/2"-20
 Application : PERKINS 水杯 座



TMY-FA-052
 VOLVO : 20853583
 IVECO : 504272431
 THREAD IN/OUT : Φ 10/ Φ 8
 Application : IVECO,VOLVO



TMY-FA-028
 KOBELCO : YN21P01036F1
 HITACHI : 4676385
 THREAD IN/OUT : M14X1.5
 Application : KOBELCO



TMY-FA-023
 BOSCH : 0986450695
 FILTER : HDF296
 THREAD IN/OUT : 1/2"-20
 Application : FORD,PEUGEOT



TMY-FA-024
 FOTON : 5283172
 FLEETGUARD : FH21077
 Application : FOTON



TMY-FA-053
 KOMATSU : 6745-71-5900
 600-319-5610
 THREAD IN/OUT : 1"-14
 Application : KOMATSU



TMY-FA-072
 Mercruiser : 35-802893Q01
 Application : Mercruiser



TMY-FA-025
 HINO : 23330-E0051
 23330-E0070
 THREAD IN/OUT : Φ 10
 Application : HINO



TMY-FA-027
 HITACHI : 4642641 4715072
 ISUZU : 8980088400
 THREAD IN/OUT : M14X1.5
 Application : HITACHI



TMY-FA-017
 MITSUBISHI : ME971608
 ME971500
 Me040246
 THREAD IN/OUT : M14X1.5
 Application : MITSUBISHI



TMY-FA-018
 MITSUBISHI : ME056280
 HITACHI : 4335136 4326739
 Application : MITSUBISHI,
 HITACHI



TMY-FA-071
 HITACHI : 4611025
 Application : HITACHI



TMY-FA-029
 ISUZU : 8980742880
 THREAD IN/OUT : M14X1.5
 Application : ISUZU



TMY-FA-019
 MITSUBISHI : MB220900
 HYUNDAI : 31973-44001
 THREAD IN/OUT : Φ 8
 Application : MITSUBISHI,
 HYUNDAI



TMY-FA-026
 MITSUBISHI : ME222135
 KOBELCO : YT21P01006R100
 THREAD IN/OUT : M14X1.5
 Application : MITSUBISHI,
 KOBELCO



TMY-FA-030
 ISUZU : 1-14200-468-2
 MITSUBISHI : ME039816
 THREAD IN/OUT : Φ 10
 Application : ISUZU



TMY-FA-031
 ISUZU : 97748969
 1-132-10170
 THREAD IN/OUT : Φ 10
 Application : ISUZU



TMY-FA-020
 PERKINS : 2656615
 THREAD IN : M14X1.5
 THREAD OUT : 1/2"-20
 Application : PERKINS



TMY-FA-021
 PERKINS : 2656613
 THREAD IN : M14X1.5
 THREAD OUT : 1/2"-20
 Application : PERKINS



TMY-FA-022
 PERKINS : 7111-296
 THREAD IN : M14X1.5
 THREAD OUT : 1/2"-20
 Application : PERKINS



TMY-FA-032
 PERKINS : 4132A015M1
 4132A016M1
 ULPK0040
 Application : PERKINS



TMY-FA-038-1
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER
 泵 水杯加热



TMY-FA-038-2
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER



TMY-FA-033
 PERKINS : 4132A014M1
 4132A018M1
 ULPK0041
 Application : PERKINS



TMY-FA-034
 PERKINS : 4132A018
 4132A014
 ULPK0038
 Application : PERKINS



TMY-FA-038-3
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER
 泵 加热 感应



TMY-FA-038-4
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER
 泵 水杯



TMY-FA-035
 PERKINS : 4132A016
 4132A015
 ULPK0039
 Application : PERKINS



TMY-FA-036
 RACOR : R12T
 THREAD IN/OUT : M14X1.5
 Application : RACOR PARKER



TMY-FA-038-5
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER
 加热 感应



TMY-FA-039
 RACOR : R60T
 THREAD IN : M14X1.5
 THREAD OUT : M16X1.5
 Application : RACOR PARKER



TMY-FA-073
 Racor : S3213
 Application : RACOR PARKER



TMY-FA-037
 RACOR : R20P
 THREAD IN/OUT : 1/4"BSPT
 Application : RACOR PARKER



TMY-FA-040
 RACOR : R90P
 THREAD IN/OUT : M16X1.5
 Application : RACOR PARKER



TMY-FA-080-1
 RACOR : R120P
 THREAD IN/OUT : M16X1.5
 Application : RACOR PARKER
 带加热



TMY-FA-037-1
 RACOR : R20P
 THREAD IN/OUT : 1/4"BSPT
 Application : RACOR PARKER
 加热



TMY-FA-038
 RACOR : R60P
 THREAD IN : M16X1.5
 THREAD OUT : M14X1.5
 Application : RACOR PARKER
 带加热



TMY-FA-041
 RACOR : R160T
 THREAD IN/OUT : M16X1.5
 Application : RACOR PARKER



TMY-FA-042
 RACOR : R90-MER-01
 0004700469
 THREAD IN/OUT : M16X1.5
 Application : RACOR PARKER



TMY-FA-043
 RACOR : 300FG
 SWK-2000/5
 THREAD IN/OUT : M16X1.5
 Application : RACOR PARKER



TMY-FA-045-1
 RACOR : 600FG
 SWK-2000/10
 Application : RACOR PARKER
 带加热



TMY-FA-054
 VOLVO : 11110683 11110688
 11110789
 THREAD IN/OUT : 1"-14
 Application : VOLVO



TMY-FA-055
 VOLVO : 21023287
 7421023285
 THREAD IN/OUT : M14X1.5
 Application : VOLVO,RENAULT



TMY-FA-045
 RACOR : 600FG
 SWK-2000/10
 THREAD IN/OUT : M22X1.5
 Application : RACOR PARKER



TMY-FA-044
 RACOR : 500FG
 THREAD IN : 3/4"-16
 THREAD OUT : M14X1.5
 Application : RACOR PARKER



TMY-FA-056
 MANN : PL270
 THREAD IN : M14X1.5
 THREAD OUT : M16X1.5
 Application : WEICHAI 手动泵



TMY-FA-056-1
 MANN:PL270
 THREAD IN : M14X1.5
 THREAD OUT : M16X1.5
 Application : WEICHAI
 高压手油泵



TMY-FA-079
 RACOR : 500FH
 THREAD IN : 3/4"-16
 THREAD OUT : M14X1.5
 Application : RACOR PARKER



TMY-FA-046
 RACOR : 900FG
 THREAD IN/OUT : 7/8"-14
 Application : RACOR PARKER



TMY-FA-056-2
 MANN : PL270
 THREAD IN : M14X1.5
 THREAD OUT : M16X1.5
 Application : WEICHAI 高压泵



TMY-FA-057
 MANN : PL420
 THREAD IN : M14X1.5
 M16X1.5
 M18X1.5
 Application : WEICHAI



TMY-FA-047
 RACOR : 900FH
 THREAD IN/OUT : 7/8"-14
 Application : RACOR PARKER



TMY-FA-048
 RACOR : 1000FG
 THREAD IN/OUT : 7/8"-14
 Application : RACOR PARKER



TMY-FA-057-1
 MANN : PL420
 THREAD IN/OUT : M14X1.5
 M16X1.5
 M18X1.5
 Application : WEICHAI 泵 水杯



TMY-FA-057-2
 MANN : PL420
 THREAD IN/OUT : M14X1.5
 M16X1.5
 M18X1.5
 Application : WEICHAI
 电子泵带加热



TMY-FA-049
 RACOR:1000FH
 THREAD IN/OUT : 7/8"-14
 Application : RACOR PARKER



TMY-FA-051
 RACOR : 75-1000FH
 THREAD IN/OUT : 7/8"-14
 Application : RACOR PARKER
 1000FG双联总成



TMY-FA-081
 Renault : 5010140900
 THREAD OUT : M14X1.5
 Application : RENAULT

► FILTER BASE

HYDRAULIC FILTER BASE

FUEL FILTER BASE

OIL FILTER BASE

FUEL PUMP BASE



TMY-S-008
CAT : 233-9856
Application : CAT



TMY-S-009
CAT : 361-9554
Application : CAT with heating



TMY-S-010
CAT : 228-9129 232-5877
JCB : 332/D6723
Application : CAT,JCB



TMY-S-011
New Holland : 87802238
87327688
87802202
84271407
87802203
87802331
Application : NEW HOLLAND



TMY-S-012
John Deere : RE509530
RE505825
Application : JOHN DEERE



TMY-S-019
Ford : YC15-9176-AA
BALDWIN : BF7746-D
Application : FORD



TMY-S-024
HINO : VHS233041440A
Thread : M14*1.5
Parke : R60 R90 R120
Thread : M14*1.5
M16*1.5
M18*1.5
Application : HINO



TMY-S-024-1
HINO : VHS233041440A
Thread : M14*1.5
Application : HINO



TMY-S-028
JCB : 32-925765
Application : JCB



TMY-S-041
Komatsu : 6745-71-5910
600-311-5600
Application : KOMATSU



TMY-S-042
Komatsu : 6754-71-7200
Application : KOMATSU



TMY-S-043
Mitsubishi : MB220900
Application : MITSUBISHI



TMY-S-015
Parker : R20P
Application : PARKER



TMY-S-047
Volvo : 11110702
11110709
Application : VOLVO



TMY-S-004
CAT : 1R-1807
Application : CAT



TMY-S-005
CAT : 1R-1808
Application : CAT



TMY-S-048
Volvo : 20853583
Application : VOLVO



TMY-S-049
Volvo : 21023287
21023285
Renault : 7421023285
Application : VOLVO,RENAULT



TMY-S-006
CAT : 4I-3948
Application : CAT



TMY-S-007
CAT : 5I-7680
Application : CAT



TMY-S-051
Weichai : 612600081294
PL420电子泵
Application : WEICHAJ



TMY-S-052-1
MANN : PL420增压泵
Application : WEICHAJ



TMY-S-013
Fleetguard : FS1212
Application : CUMMINS



TMY-S-014
Racor : R60 R90 R120
Thread : M14*1.5
M16*1.5
M18*1.5
Application : CUMMINS



TMY-S-052-2
MANN : PL420高压泵
Application : WEICHAJ



TMY-S-052-3
MANN : PL421 带泵
Weichai : 612630080123
Application : WEICHAJ



TMY-S-014-1
Racor : R60 R90 R120
Application : CUMMINS



TMY-S-016
BOSCH : 1455520
Application : CUMMINS



TMY-S-052
MANN : PL420
Application : WEICHAJ,
CUMMINS



TMY-S-001
CAT : 117-4089
Application : CAT



TMY-S-017
Double head : FF5052 FS1280
Application : CUMMINS



TMY-S-025
Fleetguard : HF6177
Application : CUMMINS



TMY-S-002
CAT : 196-8191
Application : CAT



TMY-S-003
CAT : 1R-0739
Application : CAT



TMY-S-029
Cummins : 3913967
4934217
Application : CUMMINS



TMY-S-044
Fleetguard : FF5327
Application : CUMMINS



TMY-S-018
Doosan : 65.05510-5009S
Application : DOOSAN



TMY-S-020
HINO : 15607-2190
Application : HINO



TMY-S-036
Komatsu : 6138-71-6110
6114-71-6210
Application : KOMATSU



TMY-S-037
Komatsu : 6204-51-5730
6217-51-5103
Application : KOMATSU



TMY-S-021
HINO : 23310-1660
Application : HINO



TMY-S-022
HINO : 4622562
4448336
Application : HINO



TMY-S-038
Komatsu : 6221-71-6111
Application : KOMATSU



TMY-S-039
Komatsu : 6732-71-6220
Application : KOMATSU



TMY-S-023
HINO : 4630525
Application : HINO



TMY-S-026
HINO : 4326809
Mitsubishi : ME056279
Application : HINO,
MITSUBISHI



TMY-S-053
Racor : S3213
Mercruiser : 35-802893Q01
Application : MERCUISER



TMY-S-045
PERKINS : CAV296
Application : PERKINS



TMY-S-027
HITACHI : 513210751
KS570C
Application : HITACHI



TMY-S-030
Komatsu : 600-211-6140
Application : KOMATSU



TMY-S-046
Volvo : 8194541
Application : VOLVO



TMY-S-050
WEICHAI : 612600081333
Application : WEICHAI



TMY-S-040
Komatsu : 6735-51-5142
6731-51-2111
Application : KOMATSU



TMY-S-032
Komatsu : 600-311-9640
Application : KOMATSU



TMY-S-033
Cross : KS568
Application : MITSUBISHI



TMY-S-054
Cross : KS570C
513210751
Application : Hitachi



TMY-S-034
Komatsu : 6136-51-5121
Application : KOMATSU



TMY-S-035
Komatsu : 6136-72-6110
Application : KOMATSU

▶ WATER BOWL



TMY-B-001
 CAT : 343-5527 270-5320
 Application : CAT



TMY-B-002
 CAT : 468-6377
 Application : CAT



TMY-B-003-1
 Fleetguard : FS1242 带感应
 Application : CUMMINS



TMY-B-003
 Fleetguard : FS19816
 FS1240
 FS1242
 Application : CUMMINS



TMY-B-005
 Donaldson : P551055
 P569758
 P553203
 Application : CUMMINS



TMY-B-004
 MANN : PL420 PI270
 Application : CUMMINS



TMY-B-004-1
 MANN : PL420 PL270带加热
 Application : CUMMINS



TMY-B-003-2
 Fleetguard : FS19816 带加热
 Application : CUMMINS



TMY-B-026
 Hitachi : 4642641
 Application : Hitachi



TMY-B-006
 Iveco : 5801312864
 Application : IVECO



TMY-B-006-1
 Iveco : 5801312864带感应
 Application : IVECO



TMY-B-025
 Kobelco : YN21P01036F1
 Application : Kobelco



TMY-B-007
Komatsu : 600-311-3640
Application : KOMATSU



TMY-B-008
Komatsu : 600-311-5640
Application : KOMATSU



TMY-B-014-1
Weichai : 612630080205
R60带加热带感应
Application : RACOR



TMY-B-018
Racor : R120
Komatsu : 600-311-3220
Application : RACOR,
KOMATSU,
BENZ



TMY-B-027
MANN : WK1060
Application : Mercedes-Benz



TMY-B-009
Racor : 500FG
Application : PARKER



TMY-B-019
Racor : R20
Application : RACOR



TMY-B-019-1
Racor : R20 带加热
Application : RACOR



TMY-B-010
Racor : 600FG
Application : PARKER



TMY-B-011
Racor : 900FG
Application : PARKER



TMY-B-014-2
Racor : R60 R90 R120 带加热
Application : RACOR



TMY-B-020
Racor : R90-MER-01
Application : RACOR,BENZ



TMY-B-012
Perkins : 117-4089
Application : PERKINS



TMY-B-013
Racor : R12
Application : RACOR



TMY-B-021-1
Racor : R160 带加热, 感应
VOLVO : 11110737
Application : RACOR,VOLVO



TMY-B-022
Volvo : 20771578
20722338
Application : VOLVO



TMY-B-014
Racor : R60 R90 R120
Application : RACOR



TMY-B-015
Racor : R24P
VW : 2R0 127 177
Application : RACOR



TMY-B-023
Renault : 7421380472
Application : VOLVO,RACOR



TMY-B-024
Yanmar : 129242-55730
Application : YANMAR



TMY-B-016
Racor : R25
Application : RACOR



TMY-B-028
Racor : S3213
Application : RACOR



TMY-B-004-2
MANN : PI420 PL270带加热
Application : HOWO,WEICHAI



TMY-B-017
ISUZU : 97748969
1-132-10170
Application : ISUZU